



हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड

(भारत सरकार का उपक्रम) रजिस्टर्ड ऑफिस : 17, जमशेदजी टाटा रोड, मुंबई - 400 020

HINDUSTAN PETROLEUM CORPORATION LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE) REGISTERED OFFICE : 17, JAMSHEDJI TATA ROAD, MUMBAI-400020

2 जी इथेनॉल बायो-रिफाइनरी प्रोजेक्ट : बठिण्डा रिटेल क्षेत्रीय कार्यालय : अर्बन एस्टेट, फेस - II, पार्ट -II, बठिण्डा-151 001,
2G Ethanol Bio-Refinery Project : BATHINDA RETAIL REGIONAL OFFICE : URBAN ESTATE, PHASE-II, PART-II, BATHINDA - 151001
website : www.hindustanpetroleum.com

To,

The Deputy Director / Scientist 'C'

Ministry of Environment, Forests & Climate Change,

Northern Regional Office

Bays No. 24-25, Sector-31A,

Dakshin Marg, Chandigarh-160030

(Email: chdmoefenv@gmail.com)

Sub: Submission of six-monthly compliance report of stipulated conditions of Environmental Clearance for setting up 2G Ethanol Bio-refinery plant of capacity 100KLPD at Village- Nasibpura, Tehsil Talwandi Sabo, Bathinda (Punjab) for the period of June 2024.

Ref: F.No. J-11011/221/2017-IA II (I) Dated- 23.09.2020

Sir/ Madam

This has reference to the EC vide letter no. J-11011/221/2017-IA II (I) Dated- 23.09.2020. In this regard, we are submitting hereby status report of compliance with the specific and general conditions for period June 2024. Documents enclosed along with report are mentioned below as

1. Point- wise compliance of stipulated environmental conditions & safeguards
2. Analysis Reports
3. Supporting Documents

Thanking You

For M/s Hindustan Petroleum Corporation Limited

(Authorized Signatory)

Name - Akhlaque Ahmad

Designation - Deputy General Manager-Projects

E-mail - akhlaqueahmad@hpcil.in

Contact No. - +91-8689975959

Copy to:

1. The Director, Ministry of Environment, Forest & Climate Change, Govt of India, Sector 31, Chandigarh.
2. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar Delhi-32
3. The Member Secretary, Punjab Pollution Control Board, Vataran Bhawan, Nabha Road, Patiala, 147001 (Punjab)

1

PURPOSE OF THE REPORT

1.0 Introduction

1.1 About Project: M/s Hindustan petroleum Corporation Limited has proposed to set up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bathinda (Punjab).

This Project has obtained Environmental Clearance vide letter dated 14th August, 2018 for setting up 2G Bio-refinery Plant of capacity 100 KLD and now has granted amended Environmental Clearance from Ministry of Environment, Forests and Climate Change Delhi, with certain conditions.

1.2 Purpose of the Report

As per the "Sub Para (i)" of "Para 10" of EIA Notification 2006, it is stated that *"It shall be mandatory for the project proponent to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the concerned regulatory authority, on 1st June and 1st December of each calendar year"* and as per compliance condition mentioned in Environment Clearance Letter.

The regulatory authorities in this case are MoEF& CC Delhi, MoEF& CC, Chandigarh and SPCB, Punjab. Various scheduled Site Visits were conducted by a team of Experts to Monitor Pollution related parameters as defined by CPCB / HSPCB. Samples for water and soil were also collected by NABL/ MoEF approved laboratory for analysis.

Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report has been prepared and submitted regularly to the authority.

The Environmental assessment has been carried out to verify:

- 1) The proposed project does not have any adverse effect on the project site as well as its surrounding.
- 2) There is compliance with the conditions stipulated in the Environmental Clearance Letter.
- 3) The Project proponent is implementing the environmental safeguards in true spirit.
- 4) The project proponent is implementing the environmental pollution mitigative measures as suggested in approved EIA report.

1.3 Methodology for Preparation of Report is as follows:

- 1) Study of EC Letter & Related Documents,
- 2) Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise & Soil by the NABL/MoEF labs.
- 3) Interpretation of Monitoring Results.
- 4) Preparation of half yearly Environmental Compliance Report.

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

1.4 Generic Structure of Report:

- 1) Purpose of the Report, explaining the need of a Compliance Report and Methodology Adopted for preparation of Report.
- 2) Compliance Report, explaining the entire General & specific conditions in the EC Letter and providing details w.r.t. each condition/ guideline.
- 3) Monitoring Reports & Analysis, showing the level of emission within the project site for various Environment Parameters.
- 4) Photographs showing sample collection for environmental monitoring.
- 5) Supporting Documents which are mandatory for the project.

2

ADHERENCE TO SPECIFIC AND GENERAL CONDITIONS

PART A- SPECIFIC CONDITION

S. No.	Conditions of Environmental Clearance	Status of Compliance
[A]	The final product (Ethanol) shall be used exclusively for fuel blending only.	<i>Noted.</i>
[B]	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.	<i>Consent to Establish (CTE) was obtained from PPCB valid till 31.12.2021 as per the amended EC.</i>
[C]	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises	<i>As proposed zero discharge of waste water will be met during operational phase.</i>
[D]	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	<i>Authorization required for hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid waste Management Rules, 2016 will be obtained as per the requirement.</i>
[E]	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines	<i>Measures will be taken to control fugitive emission, pollution control devices will be installed as per the requirement. Stack of adequate height as per the guidelines will be installed for the gaseous emission dispersion.</i>
[F]	Total fresh water requirement shall not exceed 2280 cum/day, proposed to be met from canal supply.	<i>Prescribed water requirement will not be exceeded.</i>
[G]	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through a separate conveyance system.	<i>We will ensure that process water is not mixed with storm water.</i>
[H]	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	<i>Noted.</i>

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

[I]	<p>The company shall undertake waste minimization measures as below:-</p> <ol style="list-style-type: none"> i. Metering and control of quantities of active ingredients to minimize waste. ii. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. iii. Use of automated filling to minimize spillage. iv. Use of Close Feed system into batch reactors. v. Venting equipment through vapour recovery system vi. Use of high pressure hoses for equipment clearing to reduce wastewater generation. 	<p><i>We will comply with the condition as per the requirement to minimize waste generation in the plant-</i></p> <ol style="list-style-type: none"> <i>i. Metering and control of quantities of active ingredients will be done regularly.</i> <i>ii. By products will be reused as raw material as much as possible according to requirement.</i> <i>iii. Automated filling will be carried out to minimize spillage</i> <i>iv. Close feed system will be used into batch reactors.</i> <i>v. Water scrubber, vent bottle & flame arrestors will be provided as per requirement.</i> <i>vi. High pressure hoses for equipment clearing will be used to reduce waste water generation.</i>
[J]	<p>The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.</p>	<p><i>We have submitted Green belt development plan to the MoEF&CC in the EIA report and same will be developed as per the EC requirement.</i></p>
[K]	<p>All the commitments made regarding issues raised during the public hearing/ consultation meeting shall be satisfactorily implemented.</p>	<p><i>Noted.</i></p>
[L]	<p>At least 1% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and the details along with time bound action plan shall be submitted to the Ministry's Regional Office.</p>	<p><i>The project is in initial stage and construction is yet to be commenced. CER details will be submitted to the authority in due course of time. .</i></p>
[M]	<p>For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.</p>	<p><i>Acoustically enclosed DG sets will be installed and Stack height will be kept as per the CPCB guidelines.</i></p>
[N]	<p>The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.</p>	<p><i>Fire Fighting system will be installed as per the condition.</i></p>
[O]	<p>Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.</p>	<p><i>Regular Health Check-up arrangement will be provided for the workers A qualified doctor will be appointed.</i></p>
[P]	<p>There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.</p>	<p><i>No parking will be done outside on public places. Plan in this regard has already been submitted to authority.</i></p>
[Q]	<p>Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.</p>	<p><i>During operation phase, raw materials will be stored properly in covered areas</i></p>
[R]	<p>Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the</p>	<p><i>We will comply.</i></p>

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

	premises.	
[S]	CO ₂ generated from the process shall be bottled/made solid ice/value added products and sold to authorize vendors.	<i>Noted.</i>

11.1 OtherGenericConditions:-

S. No.	Conditions of Environmental Clearance	Status of Compliance
i.	The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/ or any other statutory authority.	<i>We ensure to follow the guidelines strictly.</i>
ii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	<i>Noted.</i>
iii.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated	<i>Noted and same will be complied.</i>
iv.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R No. 826(E) dated 16 th November, 2009 Shall be Complied with.	<i>Noted.</i>
v.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	<i>We will ensure to keep the noise levels within the standards.</i>
vi.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.	<i>Noted.</i>
vii.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	<i>Regular training of health & safety will be provided to the employees for chemical handling.</i>

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

viii.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.	<i>Noted and will be complied as per the requirement.</i>
ix.	The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.	<i>CSR activities will be undertaken as per the proposed plan.</i>
x.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	<i>Noted.</i>
xi.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Changes well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/Pollution control measures shall not be diverted for any other purpose.	<i>Separate funds will be kept for the implementation of the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government.</i>
xii.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	<i>Noted.</i>
xiii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	<i>Noted. We are complying with the condition.</i>
xiv.	The environmental statement for each financial year ending 31 st March in Form-Vas is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional offices of MoEF&CC by e-mail.	<i>Noted.</i>
xv.	The project proponent shall inform the public that the project has been accorded environmental clearance by	<i>Copy of advertisements attached.</i>

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

	<p>the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.</p>	
xvi.	<p>The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.</p>	<i>Noted.</i>
xvii.	<p>The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.</p>	<i>Noted.</i>

3

DETAILS OF ENVIRONMENTAL MONITORING

3.1 AMBIENT AIR QUALITY MONITORING

3.1.1 Ambient Air Quality Monitoring Stations

Ambient air quality monitoring has been carried out at twelve locations on quarterly bases, to assess the ambient air quality of the project site. This will enable to have a comparative analytical understanding about air quality and the changes in the air environment in the study area with respect to the condition prevailing. The locations of the ambient air quality monitoring stations are given in **Table 3.1**.

Table 3.1 Details of Ambient Air Quality Monitoring Stations

S. No.	Location	Location Name/ Description	
		December 2022	March 2023
1.	AAQ1	Near Project site	Near Project site
2.	AAQ2	Jiwan Singh Wala	NasibPura
3.	AAQ3	Maawala	Kot Kashmir
4.	AAQ4	Mahi Nangal	Chathewala
5.	AAQ5	Leleana	KotFatta
6.	AAQ6	Baghi Bandar	Baghi Bandar
7.	AAQ7	Nasibpura	Kothbhara
8.	AAQ8	Kothbhara	Jiwan Singh Wala
9.	AAQ9	Kot Kashmir	GehriBoghi
10.	AAQ10	GehriBoghi	Mahi Nangal
11.	AAQ11	Chathewala	Maanwala
12.	AAQ12	KotFatta	Leleana

3.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- Particulate Matter 2.5 (PM 2.5)
- Particulate Matter 10 (PM 10)
- Sulphur Dioxide (SO₂)
- Oxides of Nitrogen (NO₂)
- Carbon Monoxide (CO)
- Ammonia (NH₃)
- Lead (Pb)
- Benzene (C₆H₆)
- Benzo(a)pyrene
- Ozone (O₃)
- Arsenic (As)

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

- Nickel (Ni)
- Volatile Organic Carbon (VOCs)
- Hydrocarbon (as Methane)

Installation of Respirable Dust sampler (RDS) & Fine Particulate Sampler (FPS) was done with the attachment for the 24 hourly ambient air qualities monitoring as per Gazette Notification 16th November 2009.

The air samples were analyzed as per standard methods specified by Central Pollution Control Board (CPCB) and IS: 5182. The techniques used for ambient air quality monitoring and minimum detectable levels are given in **Table 3.2**.

Fine Particulate Sampler instruments have been used for monitoring Particulate Matter 2.5 (PM_{2.5} i.e. <2.5 microns), and Respirable Dust Sampler was used for sampling Repairable fraction (<10 microns), gaseous pollutants like SO₂, and NO₂. Bladder and Aspirator bags were used for collection Carbon monoxide samples. Gas Chromatography techniques have been used for the estimation of CO.

Table 3.2 Techniques used for Ambient Air Quality Monitoring

S. No.	Parameter	Technique	Technical Protocol
1	Particulate Matter 2.5	Fine Particulate Sampler, Gravimetric Method	SOP No. VEL/SOP/01, Section No. S/63
2	Particulate Matter 10	Respirable Dust Sampler, with cyclone separator, Gravimetric Method	IS: 5182 (P-23), 2006
3	Sulphur dioxide	Modified West and Gaeke	IS: 5182 (P-6)
4	Oxides of Nitrogen	Jacob & Hochheiser	IS: 5182 (P-2)
5	Carbon Monoxide	Gas Chromatography	IS:11255(P-6)
6	Ammonia	Distillation Method	IS: 5182 (P-22)
7	Lead	Atomic Absorption Spectro-photometer	IS: 5182 (P-10)
8	Benzene	Gas Chromatography	IS: 5182 (P-11)
9	Benzo(a)pyrene	Gas Chromatography	IS: 5182 (P-12)
10	Ozone	Colorimetry	IS: 5182 (P-9)
11	Arsenic	Atomic Absorption Spectro-photometer	IS: 5182 (P-22)
12	Nickel	Atomic Absorption Spectro-photometer	IS: 5182 (P-22)
13	Volatile Organic Carbon (VOCs)	IS:5182 (P-11)	IS:5182 (P-11)
14	Hydrocarbon (as Methane)	IS:5182 (P-17), 1979	IS:5182 (P-17), 1979

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

3.1.3 Ambient Air Quality Monitoring Results (December-2022)

Table 3.6 Ambient Air Quality Monitoring Results (1-4 Location)

S. No.	Parameter	Test Result				NAAQS*
		AAQ1	AAQ2	AAQ3	AAQ4	
1	Particulate Matter (PM _{2.5}), µg/m ³	56.86	47.68	40.92	40.25	60
2	Particulate Matter (PM ₁₀), µg/m ³	90.76	73.16	73.36	76.68	100
3	Nitrogen Dioxide (NO ₂), µg/m ³	24.76	21.40	18.44	22.47	80
4	Sulphur Dioxide (SO ₂), µg/m ³	6.72	8.23	8.07	7.94	80
5	Carbon Monoxide (CO) mg/m ³	0.74	0.66	0.75	0.76	4
6	Ammonia (NH ₃), µg/m ³	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	400
7	Lead (Pb), µg/m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	1
8	Benzene(C ₆ H ₆),µg/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	05
9	Benzo(a)pyrene, ng/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	01
10	Ozone (O ₃),µg/m ³	14.52	17.11	20.71	18.62	180
11	Arsenic As, ng/ m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	6
12	Nickel Ni, ng/ m ³	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	20
13	Volatile Organic Carbon (VOCs)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	--
14	Hydrocarbon (as Methane)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	--

*NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

Table 3.7 Ambient Air Quality Monitoring Results (5-8 Location)

S. No.	Parameter	Test Result				NAAQS*
		AAQ5	AAQ6	AAQ7	AAQ8	
1	Particulate Matter (PM _{2.5}), µg/m ³	32.05	42.36	45.26	48.78	60
2	Particulate Matter (PM ₁₀), µg/m ³	73.36	79.06	86.08	81.00	100
3	Nitrogen Dioxide (NO ₂), µg/m ³	26.24	20.80	20.76	22.08	80
4	Sulphur Dioxide (SO ₂), µg/m ³	8.33	6.86	8.08	8.34	80
5	Carbon Monoxide (CO) mg/m ³	0.69	0.68	0.74	0.76	4

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

6	Ammonia (NH ₃), µg/m ³	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	400
7	Lead (Pb), µg/m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	1
8	Benzene(C ₆ H ₆),µg/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	05
9	Benzo(a)pyrene, ng/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	01
10	Ozone (O ₃),µg/m ³	19.25	19.54	16.34	24.70	180
11	Arsenic As, ng/ m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	6
12	Nickel Ni, ng/ m ³	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	20
13	Volatile Organic Carbon (VOCs)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	--
14	Hydrocarbon (as Methane)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	--

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

Table 3.8 Ambient Air Quality Monitoring Results (9-12 Location)

S. No.	Parameter	Test Result				NAAQS*
		AAQ9	AAQ10	AAQ11	AAQ12	
1	Particulate Matter (PM _{2.5}), µg/m ³	41.35	42.86	31.52	31.05	60
2	Particulate Matter (PM ₁₀), µg/m ³	73.38	69.42	70.80	73.36	100
3	Nitrogen Dioxide (NO ₂), µg/m ³	24.67	26.70	18.34	20.16	80
4	Sulphur Dioxide (SO ₂), µg/m ³	10.42	9.05	9.45	10.76	80
5	Carbon Monoxide (CO) mg/m ³	0.75	0.64	0.86	0.82	4
6	Ammonia (NH ₃), µg/m ³	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	400
7	Lead (Pb), µg/m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	1
8	Benzene(C ₆ H ₆),µg/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	05
9	Benzo(a)pyrene,	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	01
10	Ozone (O ₃),µg/m ³	19.51	19.72	20.71	23.36	180
11	Arsenic As, ng/ m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	6
12	Nickel Ni, ng/ m ³	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	20
13	Volatile Organic	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	--
14	Hydrocarbon (as Methane)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	--

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009




Figure 3.3 Location-wise Variation of Ambient Air Quality (December 2022)




Figure 3.4 Location-wise Variation of CO in Ambient Air Quality (December 2022)

3.1.4 Discussion on Ambient Air Quality in the Study Area

PM₁₀ and PM_{2.5} levels at the project site are within the permissible limit of 100µg/m³ and 60 µg/m³ respectively (for residential, rural and other areas as stipulated in the National Ambient Air Quality Standards). SO₂, NO_x and CO was observed within the corresponding stipulated limits (Limit for SO₂ and NO_x: 80 µg/m³ and limit for CO: 4.0 mg/m³) at all monitoring locations. Station wise variation of ambient air quality parameters has been pictorially shown in **Figure 3.1, 3.2, 3.3 & 3.4**.

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

3.1.5 Ambient Air Quality Monitoring Results (March -2023)

Table 3.3 Ambient Air Quality Monitoring Results (1-4 Location)

S. No.	Parameter	Test Result				NAAQS*
		AAQ1	AAQ2	AAQ3	AAQ4	
1	Particulate Matter (PM _{2.5}), µg/m ³	52.68	44.14	48.22	42.68	60
2	Particulate Matter (PM ₁₀), µg/m ³	87.33	70.78	76.43	83.26	100
3	Nitrogen Dioxide (NO ₂), µg/m ³	28.05	21.06	19.89	25.76	80
4	Sulphur Dioxide (SO ₂), µg/m ³	8.54	6.89	7.47	8.01	80
5	Carbon Monoxide (CO) mg/m ³	0.68	0.60	0.79	0.70	4
6	Ammonia (NH ₃), µg/m ³	22.06	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	400
7	Lead (Pb), µg/m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	1
8	Benzene(C ₆ H ₆),µg/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	05
9	Benzo(a)pyrene, ng/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	01
10	Ozone (O ₃),µg/m ³	16.57	14.44	22.43	17.01	180
11	Arsenic As, ng/ m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	6
12	Nickel Ni, ng/ m ³	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	20
13	Volatile Organic	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	--
14	Hydrocarbon (as Methane)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	--

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.4 Ambient Air Quality Monitoring Results (5-8 Location)

S. No.	Parameter	Test Result				NAAQS*
		AAQ5	AAQ6	AAQ7	AAQ8	
1	Particulate Matter (PM _{2.5}), µg/m ³	35.68	40.15	55.36	50.23	60
2	Particulate Matter (PM ₁₀), µg/m ³	68.24	73.54	79.17	85.69	100
3	Nitrogen Dioxide (NO ₂), µg/m ³	21.89	17.68	15.86	20.47	80
4	Sulphur Dioxide (SO ₂), µg/m ³	6.12	9.01	7.86	6.57	80
5	Carbon Monoxide (CO) mg/m ³	0.74	0.63	0.81	0.66	4
6	Ammonia (NH ₃), µg/m ³	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	400
7	Lead (Pb), µg/m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	1
8	Benzene(C ₆ H ₆),µg/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	05
9	Benzo(a)pyrene, ng/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	01
10	Ozone (O ₃),µg/m ³	24.69	21.00	24.86	16.03	180
11	Arsenic As, ng/ m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	6
12	Nickel Ni, ng/ m ³	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	20
13	Volatile Organic Carbon (VOCs)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	--
14	Hydrocarbon (as Methane)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	--

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.5 Ambient Air Quality Monitoring Results (9-12 Location)

S. No.	Parameter	Test Result				NAAQS*
		AAQ9	AAQ10	AAQ11	AAQ12	
1	Particulate Matter (PM _{2.5}), µg/m ³	38.47	53.21	33.14	44.13	60
2	Particulate Matter (PM ₁₀), µg/m ³	78.26	88.11	77.26	63.58	100
3	Nitrogen Dioxide (NO ₂), µg/m ³	22.87	28.86	24.41	21.79	80
4	Sulphur Dioxide (SO ₂), µg/m ³	9.33	7.12	6.33	7.01	80
5	Carbon Monoxide (CO) mg/m ³	0.72	0.71	0.82	0.79	4
6	Ammonia (NH ₃), µg/m ³	BLQ(LOQ 20.0)	20.96	BLQ(LOQ 20.0)	BLQ(LOQ 20.0)	400
7	Lead (Pb), µg/m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	1
8	Benzene(C ₆ H ₆),µg/m ³	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	05
9	Benzo(a)pyrene,	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	BLQ(LOQ 0.5)	01
10	Ozone (O ₃),µg/m ³	20.32	17.55	26.01	19.78	180
11	Arsenic As, ng/ m ³	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	6
12	Nickel Ni, ng/ m ³	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	BLQ(LOQ 5.0)	20
13	Volatile Organic	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	BLQ(LOQ 0.05)	--
14	Hydrocarbon (as Methane)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	BLQ(LOQ 0.1)	--

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**




Figure 3.1 Location-wise Variation of Ambient Air Quality (March 2023)




Figure 3.2 Location-wise Variation of CO in Ambient Air Quality (March 2023)

3.1.6 Discussion on Ambient Air Quality in the Study Area

PM₁₀ and PM_{2.5} levels at the project site are within the permissible limit of 100µg/m³ and 60 µg/m³ respectively (for residential, rural and other areas as stipulated in the National Ambient Air Quality Standards). SO₂, NO_x and CO was observed within the corresponding stipulated limits (Limit for SO₂ and NO_x: 80 µg/m³ and limit for CO: 4.0 mg/m³) at all monitoring locations. Station wise variation of ambient air quality parameters has been pictorially shown in **Figure 3.1, 3.2, 3.3 & 3.4**.

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

3.2 AMBIENT NOISE MONITORING

3.2.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels in near front gate due to various construction allied activities and increased vehicular movement. A preliminary reconnaissance survey has been undertaken to identify the major noise generating sources in the area. Ambient noise monitoring was conducted at 12 locations in and around the project site on quarterly bases as given in Table 3.9.

Table 3.9 Details of Ambient Noise Monitoring Stations

S. No.	Location Code	Location Name/ Description		Present Land use
		December 2022	March 2023	
1.	N1	Near Project site	Near Project site	Industrial
2.	N2	Jiwan Singh Wala	NasibPura	Residential
3.	N3	Maawala	Kot Kashmir	Residential
4.	N4	Mahi Nangal	Chathewala	Residential
5.	N5	Leleana	KotFatta	Residential
6.	N6	Baghi Bandar	Baghi Bandar	Residential
7.	N7	Nasibpura	Kothbhara	Residential
8.	N8	Kothbhara	Jiwan Singh Wala	Residential
9.	N9	Kot Kashmir	GehriBoghi	Residential
10.	N10	GehriBoghi	Mahi Nangal	Residential
11.	N11	Chathewala	Maanwala	Residential
12.	N12	KotFatta	Leleana	Residential

3.2.2 Methodology of Noise Monitoring

Noise levels were measured using sound level meter. Noise level monitoring was carried out continuously for 24-hours with one hour interval starting at 06:00hrs to 06:00hrs next day. The noise levels were monitored on working days only. During each hour Leq were directly computed by the instrument based on the sound pressure levels. Monitoring was carried out at 'A' response and fast mode.

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

3.2.3 Ambient Noise Monitoring Results (December -2022)

The location wise ambient noise monitoring results is summarized in **Table 3.13, 3.14& 3.15**. The location-wise variation of noise levels are graphically presented in **Figure**

Table 3.13 Ambient Noise Monitoring Results (1-4 Location)

Parameter	N1		N2		N3		N4	
	Day Time	Night Time						
Lmax	73.8	65.1	56.2	47.4	54.8	45.8	52.6	42.6
Lmin	51.2	41.8	42.9	35.1	39.6	33.2	35.8	31.0
Leq	58.76	47.06	52.06	40.52	46.52	39.46	43.51	37.06
CPCB Limit (Leq in dB(A) Industrial Limit& Residential Limit)	75.00	70.00	55.00	45.00	55.00	45.00	55.00	45.00

Note *A “decibel” is a unit in which noise is measured.

Table 3.14 Ambient Noise Monitoring Results (5-8 Location)

Parameter	N5		N6		N7		N8	
	Day Time	Night Time						
Lmax	53.4	43.2	53.6	42.1	53.4	46.2	53.1	48.2
Lmin	32.5	33.6	32.5	32.5	32.5	34.6	34.8	35.4
Leq	45.18	40.82	44.29	38.76	47.18	41.70	47.25	42.84
CPCB Limit (Leq in dB(A) Residential Limit)	55.00	45.00	55.00	45.00	55.00	45.00	55.00	45.00

Note *A “decibel” is a unit in which noise is measured.

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.15 Ambient Noise Monitoring Results (9-12 Location)

Parameter	N9		N10		N11		N12	
	Day Time	Night Time						
Lmax	54.8	44.6	52.1	43.5	53.4	43.8	56.2	42.6
Lmin	35.2	29.1	35.1	34.8	39.0	31.2	40.1	34.1
Leq	44.54	32.84	43.28	40.26	46.72	39.49	52.28	36.45
CPCB Limit (Leq in dB(A) Residential Limit)	55.00	45.00	55.00	45.00	55.00	45.00	55.00	45.00

Note: *A “decibel” is a unit in which noise is measured




Figure 3.6 Location-wise Variation of Ambient Noise Levels (December 2022)

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

3.2.4 Ambient Noise Monitoring Results (March-2023)

The location wise ambient noise monitoring results is summarized in **Table 3.10, 3.11 & 3.12**. The location-wise variation of noise levels are graphically presented in **Figure**

Table 3.10 Ambient Noise Monitoring Results (1-4 Location)

Parameter	N1		N2		N3		N4	
	Day Time	Night Time						
Lmax	74.2	66.9	57.6	46.1	51.6	45.1	50.8	41.4
Lmin	50.8	42.5	41.4	34.5	38.2	32.8	36.2	31.8
Leq	57.18	46.32	51.76	41.86	47.68	40.11	45.16	36.48
CPCB Limit (Leq in dB(A) Industrial Limit & Residential Limit)	75.00	70.00	55.00	45.00	55.00	45.00	55.00	45.00

Note: *A “decibel” is a unit in which noise is measured.

Table 3.11 Ambient Noise Monitoring Results (5-8 Location)

Parameter	N5		N6		N7		N8	
	Day Time	Night Time						
Lmax	52.7	44.7	54.1	41.5	51.2	47.6	54.3	47.6
Lmin	34.1	32.3	36.4	31.8	37.8	34.2	35.7	33.2
Leq	43.55	38.78	46.78	36.59	49.26	40.57	46.12	41.71
CPCB Limit (Leq in dB(A) Residential Limit)	55.00	45.00	55.00	45.00	55.00	45.00	55.00	45.00

Note: *A “decibel” is a unit in which noise is measured.

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

Table 3.12 Ambient Noise Monitoring Results (9-12 Location)

Parameter	N9		N10		N11		N12	
	Day Time	Night Time						
Lmax	52.3	48.7	53.4	42.2	57.6	46.3	58.3	49.6
Lmin	38.1	31.2	34.8	31.9	37.3	30.5	41.5	36.8
Leq	42.68	39.04	45.33	39.46	51.04	40.12	51.68	42.02
CPCB Limit (Leq in dB(A) Residential Limit)	55.00	45.00	55.00	45.00	55.00	45.00	55.00	45.00

Note: *A “decibel” is a unit in which noise is measured




Figure 3.6 Location-wise Variation of Ambient Noise Levels (September 2022)

3.2.4 Discussion on Ambient Noise Levels in the Study Area

Day Time Noise Levels (L_{day}):

The day time noise level at all the locations were found to within limits prescribed for Industrial area i.e. 75 dB (A) and for residential are 55 dB (A).

Night Time Noise Levels (L_{night}):

The night time noise level at all the locations were found to within limit prescribed for Industrial area i.e. 70 dB (A) and for residential are 45

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

3.3 WATER QUALITY MONITORING

3.3.1 Ground Water Quality Monitoring Locations

Keeping in view the importance of Ground water & Surface water as an important source of water to the local population, sample of ground water & surface water was collected from the project site for the assessment of impacts of the project on the ground water quality & surface water quality.

Water sample was collected from the project site and nearby villages. The sample was analyzed for various parameters to compare with the standards for water as per IS: 10500 for water sources. The details of water sampling locations are given in **Table 3.16**

Table 3.16 Details of Water Quality Monitoring Station

S. No.	Location Code	Location Name/ Description	
		December 2022	March 2023
1.	W 1	Ground Water (Near Project Site)	Ground Water (Near Project Site)
2.	W 2	Ground Water (Jiwan Singh Wala)	Ground Water (Jiwan Singh Wala)
3.	W 3	Ground Water (Maanwala)	Ground Water (Maanwala)
4.	W 4	Ground Water (Mahi Nangal)	Ground Water (Mahi Nangal)
5.	W 5	Ground Water (Kot Kashmir)	Ground Water (Kot Kashmir)
6.	W 6	Ground Water (NasibPura)	Ground Water (NasibPura)
7.	W 7	Ground Water (Baghi Bandar)	Ground Water (Baghi Bandar)
8.	W 8	Surface Water (KotFatta)	Surface Water (KotFatta)
9.	W 9	Surface Water (Chathewala)	Surface Water (Chathewala)

3.3.2 Methodology of Groundwater & Surface water Quality Monitoring

Sampling of water was carried out on **December 2022 & March 2023**. Samples were collected as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedures (SOP) and stored immediately in ice boxes, which were ensured for appropriate temperatures. Sample for chemical analysis was collected in polyethylene carboys. Sample collected for metal content were acidified to <2 pH with 1 ml HNO₃. A sample for bacteriological analysis was collected in sterilized glass bottles.

Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported to laboratory for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis.

The samples were analyzed as per the standard procedures specified in 'Standard Methods for the Examination of Water and Wastewater' published by American Public Health Association (APHA) and CPCB. The analytical techniques and the test methods adopted for testing of water are given in **Table 3.17-3.34**.

3.3.3 Ground Water & Surface Water Quality Monitoring Results (December 2022)

The detailed ground water & surface water quality monitoring results are presented in **Table 3.26-3.34**

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.26 Ground water Quality Monitoring Result (Near Project Site)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.42	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	284.31	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	78.54	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	260.40	mg/L	200	600
9.	Chloride as Cl	IS 3025 (P-32)	64.16	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium as Mg	APHA 3500 Mg B	21.47	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	560.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	25.15	mg/L	200	400
14.	Fluoride as F	APHA 4500 F D	0.71	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	5.28	mg/L	45	No
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.20	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.37	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	928	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	18.2	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.1	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

Table 3.27 Ground water Quality Monitoring Result (Jiwan Singh Wala)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.86	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	218.24	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	74.82	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	221.28	mg/L	200	600
9.	Chloride as Cl	IS 3025 (P-32)	56.64	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium as Mg	APHA 3500 Mg B	7.67	mg/L	30	100

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

12.	Total Dissolved	IS 3025 (P-16)	528.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	31.28	mg/L	200	400
14.	Fluoride as F	APHA 4500 F D	0.65	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	4.06	mg/L	45	No
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.15	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.31	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	880	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	34.1	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.5	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

@Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total

Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.28 Ground water Quality Monitoring Result (Maanwala)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.56	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	254.21	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	72.84	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	219.27	mg/L	200	600
9.	Chloride as Cl	IS 3025 (P-32)	69.35	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium as Mg	APHA 3500 Mg B	17.61	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	718.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	52.06	mg/L	200	400
14.	Fluoride as F	APHA 4500 F D	0.48	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	6.23	mg/L	45	No
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.24	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.42	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	1135	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	38.4	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.0	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml	----

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

@Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.29 Ground water Quality Monitoring Result (Mahi Nangal)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.21	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	342.48	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	90.80	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	271.00	mg/L	200	600
9.	Chloride as Cl	IS 3025 (P-32)	78.24	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

11.	Magnesium as Mg	APHA 3500 Mg B	28.17	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	647.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	52.84	mg/L	200	400
14.	Fluoride as F	APHA 4500 FD	0.76	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	6.28	mg/L	45	No
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.12	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.52	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/l	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	1038	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	24.2	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.6	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.30 Ground water Quality Monitoring Result (Kot Kashmir)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.24	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	228.34	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	76.28	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	182.45	mg/L	200	600
9.	Chloride as Cl	IS 3025 (P-32)	61.52	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium as Mg	APHA 3500 Mg B	9.24	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	516.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	52.91	mg/L	200	400
14.	Fluoride as F	APHA 4500 F D	0.82	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	5.14	mg/L	45	No
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.16	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.31	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	816	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	32.0	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.3	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.31 Ground water Quality Monitoring Result (Nasibpura)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	8.04	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	198.26	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	52.73	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	173.60	mg/L	200	600

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

9.	Chloride as Cl	IS 3025 (P-32)	45.28	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium as Mg	APHA 3500 Mg B	16.20	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	407.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	12.34	mg/L	200	400
14.	Fluoride as F	APHA 4500 F D	0.72	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	5.18	mg/L	45	No Relaxation
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.12	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.34	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	640	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	10.8	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.4	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample
-----	---------	---------------	--------	-----------	--

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.32 Ground water Quality Monitoring Result (Baghi Bandar)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.76	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS 3025 (P-21)	181.25	mg/L	200	600
7.	Calcium as Ca	IS 3025 (P-40)	45.26	mg/L	75	200
8.	Alkalinity as CaCO ₃	IS 3025 (P-23)	184.76	mg/L	200	600
9.	Chloride as Cl	IS 3025 (P-32)	42.35	mg/L	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium as Mg	APHA 3500 Mg B	16.60	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	473.00	mg/L	500	2000
13.	Sulphate as SO ₄	IS 3025 (P-24)	29.24	mg/L	200	400
14.	Fluoride as F	APHA 4500 F D	0.61	mg/L	1.0	1.5
15.	Nitrate as NO ₃	IS 3025 (Part -34)	3.92	mg/L	45	No
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.09	mg/L	1.0	No Relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.18	mg/L	5.0	15.0
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	740	µS/cm	--	--
32.	Ammonia as NH ₃	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	25.1	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.0	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	---	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml	

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

Table 3.33 Surface water Quality Monitoring Result (KotFatta)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25°C)	IS 3025 (P-11)	7.42	--
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3.	Turbidity	IS 3025 (P-10)	12.0	NTU
4.	Odour	IS 3025 (P-5)	Agreeable	--
5.	Taste	IS 3025 (P-8)	NR	--
6.	Chloride as Cl	IS 3025 (P-32)	73.41	mg/L
7.	Conductivity	IS 3025 (P-14)	679	µS/cm
8.	Nitrate as NO ₃	IS 3025 (P-34)	16.24	mg/L
9.	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.24	mg/L
10.	Total Dissolved Solids	IS 3025 (P-16)	409.00	mg/L
11.	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

12.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.22	mg/L
13.	Sulphate as SO ₄	IS 3025 (P-24)	12.91	mg/L
14.	Fluoride as F	APHA 4500 F D	0.62	mg/L
15.	BOD (3 Days at 20°C)	IS 3025 (P-44)	4.25	mg/L
16.	COD	IS 3025 (P-58)	25.34	mg/L
17.	Free Ammonia as N	IS 3025 (P-34)	9.25	mg/L
18.	Total Coliform	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	Per 100ml
19.	Arsenic as As	IS 3025 (P-21)	151.00	mg/L
20.	Total Hardness as CaCO ₃	IS 3025 (P-40)	41.86	mg/L
21.	Calcium as Ca	IS 3025 (P-23)	168.24	mg/L
22.	Alkalinity as CaCO ₃	APHA 3500 Mg B Calculation Method	11.31	mg/L
23.	Magnesium as Mg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	3.28	mg/L
24.	Copper as Cu	IS 3025 (P-45)	52.81	mg/L
25.	Sodium	IS 3025 (P-45)	6.1	mg/L
26.	Potassium	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27.	Total Chromium as Cr	IS 15185:2016	Absent	mg/L

Note:- BLQ-Below Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.

Table 3.34 Surface water Quality Monitoring Result (Chathewala)

S. No.	Parameter	Test-Method	Result	Unit
1	pH (at 25°C)	IS 3025 (P-11)	7.21	--
2	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3	Turbidity	IS 3025 (P-10)	23.0	NTU
4	Odour	IS 3025 (P-5)	Agreeable	--
5	Taste	IS 3025 (P-8)	NR	--
6	Chloride as Cl	IS 3025 (P-32)	51.26	mg/L
7	Conductivity	IS 3025 (P-14)	826	µS/cm
8	Nitrate as NO ₃	IS 3025 (P-34)	5.44	mg/L
9	Iron as Fe	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.34	mg/L
10	Total Dissolved Solids	IS 3025 (P-16)	527.00	mg/L
11	Lead as Pb	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.21	mg/L
13	Sulphate as SO ₄	IS 3025 (P-24)	26.84	mg/L
14	Fluoride as F	APHA 4500 F D	0.42	mg/L

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

15	BOD (3 Days at	IS 3025 (P-44)	3.92	mg/L
16	COD	IS 3025 (P-58)	20.15	mg/L
17	Free Ammonia as	IS 3025 (P-34)	6.24	mg/L
18	Total Coliform	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	Per 100ml
19	Arsenic as As	IS 3025 (P-21)	158.34	mg/L
20	Total Hardness as CaCO ₃	IS 3025 (P-40)	58.31	mg/L
21	Calcium as Ca	IS 3025 (P-23)	182.24	mg/L
22	Alkalinity as CaCO ₃	APHA 3500 Mg B Calculation Method	3.12	mg/L
23	Magnesium as Mg	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	3.06	mg/L
24	Copper as Cu	IS 3025 (P-45)	42.1	mg/L
25	Sodium	IS 3025 (P-45)	1.0	mg/L
26	Potassium	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27	Total Chromium as Cr	IS 15185:2016	Absent	mg/L

Note:- BLQ-Below Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.

3.3.4 Ground Water & Surface Water Quality Monitoring Results (March 2022)

The detailed ground water & surface water quality monitoring results are presented in **Table 3.17-3.25**

Table 3.17 Ground water Quality Monitoring Result (Near Project Site)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.29	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	272.13	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	70.24	mg/L	75	200
8.	Alkalinity (as	IS 3025 (P-23)	251.48	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	60.36	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

11.	Magnesium (as Mg)	APHA 3500 Mg B	23.54	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	542.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	21.68	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.62	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	4.48	mg/L	45	No
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.18	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.30	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	901	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	21.4	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.1	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	--	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	'Shall not be detectable in any 100 ml	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.18 Ground water Quality Monitoring Result (Jiwan Singh Wala)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.58	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	210.56	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	71.36	mg/L	75	200
8.	Alkalinity (as	IS 3025 (P-23)	214.66	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	51.26	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium (as Mg)	APHA 3500 Mg B	7.90	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	532.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	22.68	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 FD	0.61	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.59	mg/L	45	No
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.16	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.24	mg/L	5.0	15.0

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	857	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	33.5	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.2	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.19 Ground water Quality Monitoring Result (Maanwala)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.62	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	259.59	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	64.32	mg/L	75	200
8.	Alkalinity (as	IS 3025 (P-23)	209.33	mg/L	200	600

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

9.	Chloride (as Cl)	IS 3025 (P-32)	71.49	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium (as Mg)	APHA 3500 Mg B	24.08	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	711.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	41.65	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 FD	0.56	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	5.23	mg/L	45	No
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.15	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.40	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	1112	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	31.1	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.0	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any	

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.20 Ground water Quality Monitoring Result (Mahi Nangal)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.13	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	316.48	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	76.26	mg/L	75	200
8.	Alkalinity (as Ca)	IS 3025 (P-23)	248.00	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	73.68	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	30.67	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	612.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	46.23	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.78	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	6.02	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.12	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.36	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/l	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	1068	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	20.5	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.7	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

@Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.21 Ground water Quality Monitoring Result (Kot Kashmir)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.65	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	211.54	mg/L	200	600

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

7.	Calcium (as Ca)	IS 3025 (P-40)	62.87	mg/L	75	200
8.	Alkalinity (as	IS 3025 (P-23)	171.69	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	54.23	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium (as Mg)	APHA 3500 Mg B	13.29	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	502.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	58.62	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.87	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	5.87	mg/L	45	No
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.21	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.22	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	835	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	34.0	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.8	mg/L	--	--

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any

Note: *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.22 Ground water Quality Monitoring Result (Nasibpura)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.66	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	186.55	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	48.36	mg/L	75	200
8.	Alkalinity (as)	IS 3025 (P-23)	166.03	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	40.21	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	16.01	mg/L	30	100
12.	Total Dissolved	IS 3025 (P-16)	401.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	18.36	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.66	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	4.55	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.13	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01,	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.30	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	623	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	12.8	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.1	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.23 Ground water Quality Monitoring Result (Baghi Bandar)

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.69	--	6.5 to 8.5	No
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	172.56	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	41.23	mg/L	75	200
8.	Alkalinity (as	IS 3025 (P-23)	171.33	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	40.17	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No
11.	Magnesium (as Mg)	APHA 3500 Mg B	16.93	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	466.00	mg/L	500	2000
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	23.69	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.54	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.25	mg/L	45	No
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.15	mg/L	1.0	No Relaxation
17.	Aluminium(as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No
22.	Anionic Detergents	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.28	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	723	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

33.	Sodium	IS 3025 (P-45)	22.1	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.5	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any	

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

@Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).

Table 3.24 Surface water Quality Monitoring Result (KotFatta)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25°C)	IS 3025 (P-11)	7.63	--
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3.	Turbidity	IS 3025 (P-10)	15.0	NTU
4.	Odour	IS 3025 (P-5)	Agreeable	--
5.	Taste	IS 3025 (P-8)	NR	--
6.	Chloride (as Cl)	IS 3025 (P-32)	76.22	mg/L
7.	Conductivity	IS 3025 (P-14)	693	µS/cm
8.	Nitrate (as NO ₃)	IS 3025 (P-34)	14.69	mg/L
9.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.34	mg/L
10.	Total Dissolved Solids	IS 3025 (P-16)	424.00	mg/L
11.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.26	mg/L
13.	Sulphate(as SO ₄)	IS 3025 (P-24)	10.16	mg/L
14.	Fluoride (as F)	APHA 4500 F D	0.69	mg/L
15.	BOD (5 Days at	IS 3025 (P-44)	3.68	mg/L
16.	COD	IS 3025 (P-58)	23.92	mg/L
17.	Free Ammonia (as	IS 3025 (P-34)	8.15	mg/L
18.	Total Coliform	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	Per 100ml
19.	Arsenic (as As)	IS 3025 (P-21)	141.00	mg/L
20.	Total Hardness (as CaCO ₃)	IS 3025 (P-40)	48.66	mg/L
21.	Calcium (as Ca)	IS 3025 (P-23)	160.48	mg/L
22.	Alkalinity (as	APHA 3500 Mg B Calculation Method	4.76	mg/L

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

23.	Magnesium (as Mg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	2.88	mg/L
24.	Copper (as Cu)	IS 3025 (P-45)	57.55	mg/L
25.	Sodium (as Na)	IS 3025 (P-45)	3.3	mg/L
26.	Potassium (as K)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27.	Total Chromium (as Cr)	IS 15185:2016	Absent	mg/L

Note:- BLQ-Below Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.

Table 3.25 Surface water Quality Monitoring Result (Chathewala)

S. No.	Parameter	Test-Method	Result	Unit
1	pH (at 25°C)	IS 3025 (P-11)	7.46	--
2	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3	Turbidity	IS 3025 (P-10)	20.0	NTU
4	Odour	IS 3025 (P-5)	Agreeable	--
5	Taste	IS 3025 (P-8)	NR	--
6	Chloride (as Cl)	IS 3025 (P-32)	51.66	mg/L
7	Conductivity	IS 3025 (P-14)	811	µS/cm
8	Nitrate (as NO ₃)	IS 3025 (P-34)	5.89	mg/L
9	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.30	mg/L
10	Total Dissolved Solids	IS 3025 (P-16)	511.00	mg/L
11	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.28	mg/L
13	Sulphate(as SO ₄)	IS 3025 (P-24)	21.39	mg/L
14	Fluoride (as F)	APHA 4500 F D	0.38	mg/L
15	BOD (5 Days at	IS 3025 (P-44)	2.47	mg/L
16	COD	IS 3025 (P-58)	17.35	mg/L
17	Free Ammonia (as	IS 3025 (P-34)	5.57	mg/L
18	Total Coliform	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	Per 100ml
19	Arsenic (as As)	IS 3025 (P-21)	142.35	mg/L
20	Total Hardness (as CaCO ₃)	IS 3025 (P-40)	51.16	mg/L

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

21	Calcium (as Ca)	IS 3025 (P-23)	174.39	mg/L
22	Alkalinity (as)	APHA 3500 Mg B Calculation Method	3.57	mg/L
23	Magnesium (as Mg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	3.11	mg/L
24	Copper (as Cu)	IS 3025 (P-45)	47.6	mg/L
25	Sodium (as Na)	IS 3025 (P-45)	1.3	mg/L
26	Potassium (as K)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27	Total Chromium (as Cr)	IS 15185:2016	Absent	mg/L

Note:- BLQ-Below Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.

3.4 SOIL MONITORING

3.4.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil quality and also predict impacts, which have arisen due to execution of various constructions allied activities. Accordingly, a study of assessment of the soil quality has been carried out.

To assess impacts of ongoing project activities on the soil in the area, the physico-chemical characteristics of soils were examined by obtaining soil samples from selected points and analysis of the same. Single sample of soil was collected from the project site for studying soil characteristics, the location of which is listed in **Table 3.35**.

Table 3.35 Details of Soil Quality Monitoring Location

S. No.	Location Code	Location Name/ Description	
		December 2022	March 2023
1.	S1	Near Project Site	Near Project Site
2.	S2	Jiwan Singh wala	Jiwan Singh wala
3.	S3	MaanWala	MaanWala
4.	S4	Mahi Nangal	Mahi Nangal
5.	S5	Leleana	Leleana
6.	S6	Baghi Bandar	Baghi Bandar
7.	S7	NasibPura	NasibPura
8.	S8	Kotbhara	Kotbhara
9.	S9	Kot Kashmir	Kot Kashmir
10.	S10	GehriBoghi	GehriBoghi
11.	S11	Chathewala	Chathewala
12.	S12	KotFatta	KotFatta

3.4.2 Methodology of Soil Monitoring

The sampling has been done in line with IS: 2720 & Methods of Soil Analysis, Part-1, 2nd edition, 1986 of American Society for Agronomy and Soil Science Society of America. The homogenized samples were analyzed

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

for physical and chemical characteristics (physical, chemical and heavy metal concentrations). The soil samples were collected in the month of **December 2022 & March 2023**.

The samples have been analyzed as per the established scientific methods for physic-chemical parameters. The heavy metals have been analyzed by using Atomic Absorption Spectrophotometer.

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

3.4.3 Soil Monitoring Results (December 2022)

Single sample of soil is collected from the site to check the quality of soil of the study area .The physio-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in **Table 3.48-3.59**.

Table 3.48 Physico-Chemical Characteristics of Soil in the Study Area (Near Project Site)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	6.94	--
2.	Conductivity	IS 14767	0.318	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	25.42	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.38	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	42.51	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	21.33	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	26.18	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	98.47	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.84	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.74	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	18.35	%
14.	Available Nitrogen as N	IS:14684	152.48	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	12.63	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.29	%
17.	Organic Carbon	IS 2720 (P-22)	0.47	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.51	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	6.18	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.42	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	10.41	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.49 Physico-Chemical Characteristics of Soil in the Study Area (Jiwan Singh Wala)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	6.51	--
2.	Conductivity	IS 14767	0.362	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	45.10	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.39	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	40.26	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	60.52	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	51.24	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	122.46	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.19	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.62	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	24.62	%
14.	Available Nitrogen as N	IS:14684	248.13	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	24.51	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	20.35	%
17.	Organic Carbon	IS 2720 (P-22)	0.48	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.75	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.35	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.92	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.46	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	12.44	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.50 Physico-Chemical Characteristics of Soil in the Study Area (Maanwala)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	8.25	--
2.	Conductivity	IS 14767	0.354	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	28.62	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.59	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	51.18	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	30.46	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	41.29	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	139.84	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.76	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.56	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	19.23	%
14.	Available Nitrogen as N	IS:14684	240.72	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	27.87	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	11.27	%
17.	Organic Carbon	IS 2720 (P-22)	0.45	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.76	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.58	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.86	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	6.28	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.23	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	20.06	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.51 Physico-Chemical Characteristics of Soil in the Study Area (Mahi Nangal)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.96	--
2.	Conductivity	IS 14767	0.379	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	34.25	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.51	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	35.64	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	47.86	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	51.26	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	138.08	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.69	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.51	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	28.62	%
14.	Available Nitrogen as N	IS:14684	219.28	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	20.47	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	10.76	%
17.	Organic Carbon	IS 2720 (P-22)	0.37	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.52	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.74	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.0	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.78	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.80	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	17.06	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.52 Physico-Chemical Characteristics of Soil in the Study Area (Leleana)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	8.27	--
2.	Conductivity	IS 14767	0.344	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	18.51	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.23	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	49.25	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	34.51	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	40.32	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	84.27	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.15	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.64	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	19.37	%
14.	Available Nitrogen as N	IS:14684	198.70	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	18.22	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.25	%
17.	Organic Carbon	IS 2720 (P-22)	0.38	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.73	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.74	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.28	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.15	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	17.40	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.53 Physico-Chemical Characteristics of Soil in the Study Area (Baghi Bandar)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.62	--
2.	Conductivity	IS 14767	0.326	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	21.35	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.20	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	40.18	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	52.28	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	39.41	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	116.27	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.51	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.74	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	18.26	%
14.	Available Nitrogen as N	IS:14684	202.40	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	10.25	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	5.94	%
17.	Organic Carbon	IS 2720 (P-22)	0.52	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.65	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.54	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.42	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.42	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 0.5)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	14.51	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.54 Physico-Chemical Characteristics of Soil in the Study Area (Nasibpura)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.62	--
2.	Conductivity	IS 14767	0.318	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Brown	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	36.52	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.34	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	50.45	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	42.18	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	77.80	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	154.23	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.62	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.78	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	35.22	%
14.	Available Nitrogen as N	IS:14684	251.35	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	26.42	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	14.54	%
17.	Organic Carbon	IS 2720 (P-22)	0.54	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.58	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.72	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.42	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.13	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.35	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	18.22	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.55 Physico-Chemical Characteristics of Soil in the Study Area (Kotbhara)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.24	--
2.	Conductivity	IS 14767	0.324	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	36.28	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.32	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	42.81	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	51.46	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	37.52	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	151.28	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.54	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.72	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	24.18	%
14.	Available Nitrogen as N	IS:14684	251.27	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	15.34	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.18	%
17.	Organic Carbon	IS 2720 (P-22)	0.42	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.84	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.56	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.64	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.54	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	15.36	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.56 Physico-Chemical Characteristics of Soil in the Study Area (Kot Kashmir)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.45	--
2.	Conductivity	IS 14767	0.314	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	26.54	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.32	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	45.28	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	37.19	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	40.34	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	128.51	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.45	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.81	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	20.50	%
14.	Available Nitrogen as N	IS:14684	238.06	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	14.21	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	10.04	%
17.	Organic Carbon	IS 2720 (P-22)	0.76	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.84	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.56	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.37	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.42	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.28	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	11.24	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.57 Physico-Chemical Characteristics of Soil in the Study Area (Gehri Boghi)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.36	--
2.	Conductivity	IS 14767	0.304	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	35.42	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.79	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	51.24	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	38.41	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	52.18	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	128.72	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.62	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.76	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	24.61	%
14.	Available Nitrogen as N	IS:14684	241.42	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	21.51	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	10.28	%
17.	Organic Carbon	IS 2720 (P-22)	0.61	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.68	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.72	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.54	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.64	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.25	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	25.28	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.58 Physico-Chemical Characteristics of Soil in the Study Area (Chathewala)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.46	--
2.	Conductivity	IS 14767	0.346	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Brownish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	28.51	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.47	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	52.10	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	41.62	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	58.91	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	128.36	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.75	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.62	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	28.45	%
14.	Available Nitrogen as N	IS:14684	227.11	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	20.38	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.21	%
17.	Organic Carbon	IS 2720 (P-22)	0.54	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.63	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.08	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.31	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	14.25	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.59 Physico-Chemical Characteristics of Soil in the Study Area (KotFatta)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.52	--
2.	Conductivity	IS 14767	0.364	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	25.31	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.45	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	71.62	%
8.	Calcium as Ca	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	48.24	%
9.	Sodium as Na	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	41.34	%
10.	Potassium as K	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	157.28	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.34	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.82	%
13.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	31.45	%
14.	Available Nitrogen as N	IS:14684	241.62	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	25.28	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.19	%
17.	Organic Carbon	IS 2720 (P-22)	0.62	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.94	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.75	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.72	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	15.82	%

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**

3.4.3 Soil Monitoring Results (March 2023)

Single sample of soil is collected from the site to check the quality of soil of the study area .The physio-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in **Table 3.36-3.47**.

Table 3.36 Physico-Chemical Characteristics of Soil in the Study Area (Near Project Site)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.46	--
2.	Conductivity	IS 14767	0.325	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	30.24	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.38	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	40.68	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	20.35	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	28.14	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	92.58	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	5.06	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.80	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	16.87	%
14.	Available Nitrogen (as N)	IS:14684	147.15	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	10.87	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	14.02	%
17.	Organic Carbon	IS 2720 (P-22)	0.46	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.47	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.60	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.15	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.40	mg/kg

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	18.06	%

Table 3.37 Physico-Chemical Characteristics of Soil in the Study Area (Jiwan Singh Wala)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.54	--
2.	Conductivity	IS 14767	0.348	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	42.47	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.24	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	37.41	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	55.42	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	50.78	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	118.33	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.46	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.81	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	23.67	%
14.	Available Nitrogen (as N)	IS:14684	266.08	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	20.74	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	17.26	%
17.	Organic Carbon	IS 2720 (P-22)	0.47	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.57	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.70	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.65	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.47	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.42	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	16.42	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

Table 3.38 Physico-Chemical Characteristics of Soil in the Study Area (Maanwala)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.78	--
2.	Conductivity	IS 14767	0.346	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	26.22	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.46	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	46.23	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	33.87	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	43.75	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	131.38	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.54	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.68	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	17.54	%
14.	Available Nitrogen (as N)	IS:14684	231.47	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	25.33	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	13.06	%
17.	Organic Carbon	IS 2720 (P-22)	0.39	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.78	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.53	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.81	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.00	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.46	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	19.45	%
-----	------------------	---	-------	---

Table 3.39 Physico-Chemical Characteristics of Soil in the Study Area (Mahi Nangal)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.66	--
2.	Conductivity	IS 14767	0.338	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	31.48	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.52	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	38.45	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	44.13	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	58.02	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	130.48	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.73	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.55	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	24.19	%
14.	Available Nitrogen (as N)	IS:14684	198.44	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	17.69	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	10.76	%
17.	Organic Carbon	IS 2720 (P-22)	0.32	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.68	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.24	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.13	mg/kg

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.17	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	14.06	%

Table 3.40 Physico-Chemical Characteristics of Soil in the Study Area (Leleana)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	8.21	--
2.	Conductivity	IS 14767	0.316	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	18.72	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.36	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	40.77	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	36.24	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	48.11	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	80.87	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.01	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.60	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	17.78	%
14.	Available Nitrogen (as N)	IS:14684	204.52	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	14.48	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.35	%
17.	Organic Carbon	IS 2720 (P-22)	0.35	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.66	mg/kg

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.60	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.81	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.01	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.66	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	19.78	%

Table 3.41 Physico-Chemical Characteristics of Soil in the Study Area (Baghi Bandar)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.82	--
2.	Conductivity	IS 14767	0.312	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	24.47	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.22	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	37.68	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	59.01	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	35.57	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	113.29	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.24	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.66	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	20.78	%
14.	Available Nitrogen (as N)	IS:14684	212.58	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	9.14	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	9.26	%
17.	Organic Carbon	IS 2720 (P-22)	0.39	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.65	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.79	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.01	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.35	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 0.5)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	13.06	%

Table 3.42 Physico-Chemical Characteristics of Soil in the Study Area (Nasibpura)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.89	--
2.	Conductivity	IS 14767	0.310	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Brownish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	29.89	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.26	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	47.14	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	40.89	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	72.35	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	135.87	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.89	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.74	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	30.88	%
14.	Available Nitrogen (as N)	IS:14684	247.35	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	21.79	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	15.36	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

17.	Organic Carbon	IS 2720 (P-22)	0.43	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.35	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.40	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.68	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.37	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	20.87	%

Table 3.43 Physico-Chemical Characteristics of Soil in the Study Area (Kotbhara)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.36	--
2.	Conductivity	IS 14767	0.357	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	29.46	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.30	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	35.81	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	51.46	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	37.52	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	151.28	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.54	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.70	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	24.18	%
14.	Available Nitrogen (as N)	IS:14684	251.27	kg./hec.

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	15.34	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.18	%
17.	Organic Carbon	IS 2720 (P-22)	0.41	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.84	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.56	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.64	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.54	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	10.58	%

Table 3.44 Physico-Chemical Characteristics of Soil in the Study Area (Kot Kashmir)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.68	--
2.	Conductivity	IS 14767	0.322	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	29.06	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.42	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	48.66	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	34.48	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	43.11	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	123.48	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.24	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.64	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	19.58	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

14.	Available Nitrogen (as N)	IS:14684	228.48	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	12.69	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	13.55	%
17.	Organic Carbon	IS 2720 (P-22)	0.37	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.71	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.50	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.33	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.04	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.56	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	14.92	%

Table 3.45 Physico-Chemical Characteristics of Soil in the Study Area (GehriBoghi)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.23	--
2.	Conductivity	IS 14767	0.339	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	34.46	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.58	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	47.39	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	34.24	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	50.78	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	120.29	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	6.03	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.77	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	22.18	%
14.	Available Nitrogen (as N)	IS:14684	256.38	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	18.77	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	11.55	%
17.	Organic Carbon	IS 2720 (P-22)	0.45	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.60	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.77	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.89	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.29	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	19.36	%

Table 3.46 Physico-Chemical Characteristics of Soil in the Study Area (Chathewala)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.63	--
2.	Conductivity	IS 14767	0.341	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Brownish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	28.46	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.36	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	47.78	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	39.25	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	61.22	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	126.68	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.35	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.74	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	30.58	%
14.	Available Nitrogen (as N)	IS:14684	235.47	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	17.69	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.36	%
17.	Organic Carbon	IS 2720 (P-22)	0.43	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.54	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.76	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.35	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.87	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.79	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	16.08	%

Table 3.47 Physico-Chemical Characteristics of Soil in the Study Area (KotFatta)

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.72	--
2.	Conductivity	IS 14767	0.361	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	27.69	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.42	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	68.02	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	44.26	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	37.58	%

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab

(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)

10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	143.59	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.78	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.75	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	34.12	%
14.	Available Nitrogen (as N)	IS:14684	232.87	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	20.57	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	15.02	%
17.	Organic Carbon	IS 2720 (P-22)	0.43	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.90	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.79	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.51	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.33	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.55	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	15.66	%

3.4.5 Discussion on Soil Characteristics in the Study Area

The soil in study area is characterized by moderate organic content. The soil quality in the project area has not been affected by the project activities.

3.5 Site Photographs

Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)



**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**



Ambient Noise Monitoring

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**



Ambient Air Monitoring



Soil Sampling

**Project: Setting up 2G Ethanol Bio-Refinery plant of capacity 100 KLPD at village Nasibpura, Tehsil Talwandi Sabo, Bhatinda, Punjab
(F.No. J-11011/221/2017-IA II (I) Dated-23/11/2020)**



Water Sampling



Test Report

Sample Number: VEL/SW/01
Name & Address of the Project: MA Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-
Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2311090001
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 14/11/2023
Period of Analysis: 09/11/2023 to 14/11/2023
Receipt Date: 09/11/2023
Sampling Date: 03/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Surface Water Sample
Sample Location: Chathewala
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test Method	Results	Unit
1.	pH (at 25°C)	IS 3025 (P-11)	7.87	-
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3.	Turbidity	IS 3025 (P-10)	12.6	NTU
4.	Odour	IS 3025 (P-5)	Agreeable	--
5.	Taste	IS 3025 (P-8)	NR	-
6.	Chloride (as Cl)	IS 3025 (P-32)	62.78	mg/L
7.	Conductivity	IS 3025 (P-14)	536	µS/cm
8.	Nitrate (as NO ₃)	IS 3025 (P-34)	12.18	mg/L
9.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.39	mg/L
10.	Total Dissolved Solids	IS 3025 (P-16)	345.57	mg/L
11.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.30	mg/L
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	16.29	mg/L
14.	Fluoride (as F)	APHA 4500 F D	0.61	mg/L
15.	BOD (3 Days at 27°C)	IS 3025 (P-44)	3.33	mg/L
16.	COD	IS 3025 (P-58)	24.86	mg/L
17.	Free Ammonia (as NH ₃)	IS 3025 (P-34)	7.34	mg/L
18.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
19.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	126.00	mg/L
20.	Calcium (as Ca)	IS 3025 (P-40)	48.51	mg/L
21.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	156.29	mg/L
22.	Magnesium (as Mg)	APHA 3500 Mg B Calculation Method	12.06	mg/L
23.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	3.28	mg/L
24.	Sodium (as Na)	IS 3025 (P-45)	41.36	mg/L
25.	Potassium (as K)	IS 3025 (P-45)	4.9	mg/L
26.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27.	Total Coliform	IS 15185:2016	Absent	Per 100ml

Note: - BLQ-Below Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as such.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with suffix A-Addressed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/SW/02
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpara, Tehsil-
Tabwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/231110002
Format No.: 7.A F-03
Party Reference No.: NIL
Reporting Date: 15/11/2023
Period of Analysis: 10/11/2023 to 15/11/2023
Receipt Date: 10/11/2023
Sampling Date: 04/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Surface Water Sample
Sample Location: Kot Fatta
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test Method	Results	Unit
1.	pH (at 25°C)	IS 3025 (P-11)	7.59	--
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3.	Turbidity	IS 3025 (P-10)	13.0	NTU
4.	Odour	IS 3025 (P-5)	Agreeable	--
5.	Taste	IS 3025 (P-8)	NR	--
6.	Chloride (as Cl)	IS 3025 (P-32)	43.69	mg/L
7.	Conductivity	IS 3025 (P-14)	824	µS/cm
8.	Nitrate (as NO ₃)	IS 3025 (P-34)	4.45	mg/L
9.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.49	mg/L
10.	Total Dissolved Solids	IS 3025 (P-16)	434.00	mg/L
11.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.22	mg/L
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	24.27	mg/L
14.	Fluoride (as F)	APHA 4500 F D	0.41	mg/L
15.	BOD (3 Days at 27°C)	IS 3025 (P-44)	3.69	mg/L
16.	COD	IS 3025 (P-58)	15.23	mg/L
17.	Free Ammonia (as NH ₃)	IS 3025 (P-34)	6.47	mg/L
18.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
19.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	130.55	mg/L
20.	Calcium (as Ca)	IS 3025 (P-40)	50.78	mg/L
21.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	156.39	mg/L
22.	Magnesium (as Mg)	APHA 3500 Mg B Calculation Method	1.93	mg/L
23.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	2.66	mg/L
24.	Sodium (as Na)	IS 3025 (P-45)	41.2	mg/L
25.	Potassium (as K)	IS 3025 (P-45)	2.9	mg/L
26.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27.	Total Coliform	IS 15185:2016	Absent	Per 100ml

Note: BLQ (IE) is Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the responsibility is on the sample collector.
- This test report in full or in part, shall not be reproduced in any form of law without prior written consent of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in.
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Saving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/01	Report No.:	VEL/PE/2311090001
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
Sample Description:	Soil Sample	Receipt Date:	09/11/2023
Sample Location:	Near Project Site	Sampling Date:	03/11/2023
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	8.69	--
2.	Conductivity	IS 14767	0.321	µS/cm
3.	Soil Texture	VEL-STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL-STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL-STP/EN/86, Issue No.- 01, 01/11/2021	38.74	%
6.	Bulk density	VEL-STP/EN/59, Issue No.- 01, 01/11/2021	2.69	gm/cc
7.	Chloride (as Cl)	VEL-STP/EN/69, Issue No.- 01, 01/11/2021	33.62	%
8.	Calcium (as Ca)	VEL-STP/EN/72, Issue No.- 01, 01/11/2021	21.27	%
9.	Sodium (as Na)	VEL-STP/EN/62, Issue No.- 01, 01/11/2021	35.89	%
10.	Potassium (as K)	VEL-STP/EN/61, Issue No.- 01, 01/11/2021	118.69	%
11.	Iron as (Fe)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	7.47	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.78	%
13.	Magnesium (as Mg)	VEL-STP/EN/72, Issue No. 01, 01/11/2021	19.58	%
14.	Available Nitrogen (as N)	IS:14684	146.71	kg./hec.
15.	Available Phosphorus	VEL-STP/EN/73, Issue No.- 01, 01/11/2021	13.20	kg./hec.
16.	Zinc (as Zn)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	24.11	%
17.	Organic Carbon	IS 2720 (P-22)	0.53	%
18.	Lead (as Pb)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
19.	Cadmium (as Cd)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	0.59	mg/kg
20.	Chromium (as Cr)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	0.75	mg/kg
21.	Copper (as Cu)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	12.36	mg/kg
22.	Molybdenum (as Mo)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	0.52	mg/kg
23.	Nickel (as Ni)	VEL-STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL-STP/EN/108, Issue No.- 01, 01/11/2021	19.67	%

Note- STP- Standard Operating Procedure



Page 1 of 1

Terms & Conditions

- The results reported relate only to the sample submitted. If the sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without your written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test sample will be retained only for specific period.
- The report is valid for 30 days from the date of issue.
- This test report will not be used for publicity or advertising or media purpose without your written permission of the laboratory.
- Going online does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/ 50/02	Report No.:	VEL/PE/2311090002
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Soil Sample	Sampling Date:	03/11/2023
Sample Location:	Nasibpura	Sampling Type:	Composite
Sample Collected By:	Vardan EnviroLab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.64	--
2.	Conductivity	IS 14767	0.436	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	44.87	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.32	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	34.24	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	45.21	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	52.49	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	128.63	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.71	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.89	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	2.98	%
14.	Available Nitrogen (as N)	IS:14684	274.51	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	24.69	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	22.37	%
17.	Organic Carbon	IS 2720 (P-22)	0.44	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.56	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.79	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.87	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.13	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.49	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	10.47	%

Note- STP- Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report is valid only for the purpose for which it was issued. It shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report No. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Solely opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by misuse of results of the test report.





Test Report

Sample Number:	VEL/S0/03	Report No.:	VEL/PE/2311090003
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
Sample Description:	Soil Sample	Receipt Date:	09/11/2023
Sample Location:	Kot Shamir	Sampling Date:	03/11/2023
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S.No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.36	--
2.	Conductivity	IS 14767	0.324	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	23.77	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.54	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	43.29	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	34.78	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	46.21	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	124.55	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.63	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.57	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	13.96	%
14.	Available Nitrogen (as N)	IS-14684	267.20	kg/hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	23.47	kg/hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	19.67	%
17.	Organic Carbon	IS 2720 (P-22)	0.32	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.71	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	9.60	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.56	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	14.99	%

Note- STP- Standard Test Procedure.



Terms & Conditions

- The results reported relate only to the sample received. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The reports are valid for 30 days.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quoting opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/04	Report No.:	VEL/PE/2311100004
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
Sample Description:	Soil Sample	Receipt Date:	09/11/2023
Sample Location:	Kot Bhara	Sampling Date:	04/11/2023
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.57	-
2.	Conductivity	IS 14767	0.314	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	33.87	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	3.69	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	32.98	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	48.37	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	64.29	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	131.20	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.65	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.63	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	24.78	%
14.	Available Nitrogen (as N)	IS:14684	221.28	kg./hae.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	13.69	kg./hae.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	10.23	%
17.	Organic Carbon	IS 2720 (P-22)	0.49	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.64	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.36	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.74	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.41	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Methane Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021		%

Note: All Standard Test Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Going opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/SO/05	Report No.:	VEL/PE/2311100006
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Soil Sample	Sampling Date:	04/11/2023
Sample Location:	Chathewala	Sampling Type:	Composite
Sample Collected By:	Vardan EnviroLab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.54	-
2.	Conductivity	IS 14767	0.323	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	14.12	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.63	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	32.15	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	33.57	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	43.63	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	68.41	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.56	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.68	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	11.74	%
14.	Available Nitrogen (as N)	IS:14684	178.36	kg/hect.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	19.67	kg/hect.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	14.05	%
17.	Organic Carbon	IS 2720 (P-22)	0.28	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.66	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.57	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.71	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.56	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	22.58	%

Note: All Standards Testing Procedures.



Terms & Conditions

- The results reported are only for the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test sample will be retained only for specific period.
- The reports with Suffix A-Armeded Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/ S0/06	Report No.:	VEL/PE/2311100006
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Soil Sample	Sampling Date:	04/11/2023
Sample Location:	Kot Fatta	Sampling Type:	Composite
Sample Collected By:	Vardan EnviroLab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.14	-
2.	Conductivity	IS 14767	0.351	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	30.21	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.37	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	40.13	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	44.28	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	36.57	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	104.26	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.74	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.59	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	23.24	%
14.	Available Nitrogen (as N)	IS:14684	184.27	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	7.42	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.63	%
17.	Organic Carbon	IS 2720 (P-22)	0.46	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.60	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.75	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.65	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.30	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 0.5)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	13.10	%

Note: STP - Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is valid with Buffer A-Accredited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Client's opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/ S0/07	Report No.:	VEL/PE/231100007
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
Sample Description:	Soil Sample	Period of Analysis:	09/11/2023 to 18/11/2023
Sample Location:	Baghi Bandar	Receipt Date:	09/11/2023
Sample Collected By:	Vardan EnviroLab Representative	Sampling Date:	05/11/2023
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sampling Type:	Composite
		Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.10	-
2.	Conductivity	IS 14767	0.356	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Brownish	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	25.98	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.54	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	51.47	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	45.20	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	78.96	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	127.18	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.45	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.60	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	33.35	%
14.	Available Nitrogen (as N)	IS:14684	237.18	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	32.67	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	24.25	%
17.	Organic Carbon	IS 2720 (P-22)	0.49	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.31	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.88	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.39	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.89	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.40	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Manganese (as Mn)	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	23.74	%

Note: S11 Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- This report is with Self-A-Assessed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.



Test Report

Sample Number:	VEL /S0/08	Report No.:	VEL/PE/231110008
Name & Address of the Project:	M/s Hindastan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
Sample Description:	Soil Sample	Receipt Date:	09/11/2023
Sample Location:	Manwala	Sampling Date:	05/11/2023
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.39	-
2.	Conductivity	IS 14767	0.311	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	31.24	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.78	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	34.20	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	44.18	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	33.69	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	143.78	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.60	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.77	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	22.47	%
14.	Available Nitrogen (as N)	IS:14684	232.20	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	11.56	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	13.40	%
17.	Organic Carbon	IS 2720 (P-22)	0.56	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.45	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.92	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.57	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.68	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.50	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	16.47	%

Note: STP- Standard Test Procedure.



Terms & Conditions

- The results reported herein are to be applied only in case sample is not drawn the results apply to the sample as received.
- The test report is full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Self-A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.






Test Report

Sample Number:	VEL/ S0/09	Report No.:	VEL/PE/2311100009
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Soil Sample	Sampling Date:	04/11/2023
Sample Location:	Jiwan Singh Wala	Sampling Type:	Composite
Sample Collected By:	Vardan EnviroLab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.69	-
2.	Conductivity	IS 14767	0.374	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	23.12	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.47	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	42.52	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	28.64	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	41.47	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	120.28	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.69	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.67	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	13.51	%
14.	Available Nitrogen (as N)	IS:14684	224.14	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	10.23	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	16.58	%
17.	Organic Carbon	IS 2720 (P-22)	0.39	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.55	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.36	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.58	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.71	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	17.54	%

Note: STP - Standard Testing Procedure.



Terms & Conditions

- The results reported shall only be valid if the sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test sample will be returned only for specific client.
- The report is with Suffix A-Accredited Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/10	Report No.:	VEL/PE/2311100010
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Soil Sample	Sampling Date:	05/11/2023
Sample Location:	Gehri Bhagi	Sampling Type:	Composite
Sample Collected By:	Vardan EnviroLab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.42	--
2.	Conductivity	IS 14767	0.314	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	34.65	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.38	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	44.21	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	33.69	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	30.58	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	108.59	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.36	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.85	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	29.47	%
14.	Available Nitrogen (as N)	IS:14684	220.56	kg/hect.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	19.87	kg/hect.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	15.89	%
17.	Organic Carbon	IS 2720 (P-22)	0.49	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.68	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.64	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.63	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.54	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.29	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ(LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	13.21	%

Note- STP- Standard Testing Procedure.



Terms & Conditions

- The results reported relate to the sample received. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The reports are with Soft & Hardend Report.
- This test report will not be used for publicity or advertising in media purpose without prior written permission of the laboratory.
- Disag opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/11	Report No.:	VEL/PE/2311100011
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
Sample Description:	Soil Sample	Party Reference No.:	NIL
Sample Location:	Mahi Nangal	Reporting Date:	18/11/2023
Sample Collected By:	Vardan EnviroLab Representative	Period of Analysis:	09/11/2023 to 18/11/2023
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Receipt Date:	09/11/2023
		Sampling Date:	05/11/2023
		Sampling Type:	Composite
		Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.64	-
2.	Conductivity	IS 14767	0.345	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	22.47	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.64	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	36.28	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	36.96	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	61.27	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	126.30	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.74	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.69	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	21.77	%
14.	Available Nitrogen (as N)	IS:14684	241.53	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	14.89	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.69	%
17.	Organic Carbon	IS 2720 (P-22)	0.40	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.68	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.87	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.64	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.51	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.76	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	21.48	%

Note- STP- Soil Test Procedure.



Terms & Conditions

- The results reported relate only to the sample submitted. In case sample is not drawn the results apply to the sample as received.
- The test report is valid as in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Annexure Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL /S0/12	Report No.:	VEL/PE/2311100012
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	18/11/2023
		Period of Analysis:	09/11/2023 to 18/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Soil Sample	Sampling Date:	05/11/2023
Sample Location:	Laleana	Sampling Type:	Composite
Sample Collected By:	Vardan EnviroLab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.41	--
2.	Conductivity	IS 14767	0.347	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	35.66	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.85	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	66.47	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	46.25	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	31.20	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	135.65	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.34	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.59	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	32.64	%
14.	Available Nitrogen (as N)	IS:14684	252.18	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	23.62	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	18.74	%
17.	Organic Carbon	IS 2720 (P-22)	0.36	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.83	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.60	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.78	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.49	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021		%

Note- STP- Soil Sampling Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report is valid only for the purpose specified in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity or photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffis A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Going online does not imply endorsement of the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.






Test Report

Sample Number:	VEL/GW/01	Report No.:	VEL/W/2311090006
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil- Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	14/11/2023
		Period of Analysis:	09/11/2023 to 14/11/2023
		Receipt Date:	09/11/2023
Sample Description:	Ground Water Sample	Sampling Date:	03/11/2023
Sample Location:	Near Project Site	Sample Quantity:	2.0 Ltr. + 250 ml
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Grab
Parameter Required:	As per Work Order	Preservation:	Refrigerated
Sampling & Analysis Protocol:	APHA 23 rd Edition 2017 & IS:3025		

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.41	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	223.65	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	56.74	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	221.96	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	56.74	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	19.94	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	545.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	12.29	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.41	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.64	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.15	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of pre-accepted test report. The test samples will be retained only for a specific period.
- The report no. with suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.






Test Report

Sample No.: VEL/GW/01			Report No.: VEL/W/2311090006			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500-2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.25	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	820	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	23.6	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.7	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

*Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To verify the authority of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/GW/02
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2311090007
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 14/11/2023
Period of Analysis: 09/11/2023 to 14/11/2023
Receipt Date: 09/11/2023
Sampling Date: 03/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Nasibpura
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.56	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	254.78	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	66.59	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	210.12	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	46.78	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	21.53	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	454.12	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	35.98	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.61	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	2.89	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.16	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of pre-processed test report. The test samples will be retained only for specific period.
- The report is with Biflu A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/02			Report No.: VEL/W/2311090007			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.29	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	768	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	32.64	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.8	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

*Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Numbers: VEL/GW/03
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-
Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2311090008
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 14/11/2023
Period of Analysis: 09/11/2023 to 14/11/2023
Receipt Date: 09/11/2023
Sampling Date: 03/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Kot Shamir
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.23	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	258.24	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	61.23	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	208.62	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	81.45	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	25.62	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	521.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	32.25	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.49	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	5.31	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.19	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions:

- The results reported relate only to the sample(s) tested. If the sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is valid only for the specific purpose.
- This test report will not be used for publicity or advertising or media purpose without prior written permission from the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/03			Report No.: VEL/W/2311090008			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500-2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.39	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	861	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	34.23	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.8	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

*Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/GW/04	Report No.:	VEL/W/2311100009
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpara, Tehsil- Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	15/11/2023
		Period of Analysis:	10/11/2023 to 15/11/2023
		Receipt Date:	10/11/2023
Sample Description:	Ground Water Sample	Sampling Date:	05/11/2023
Sample Location:	Baghi Bandar	Sample Quantity:	2.0 Ltr. + 250 ml
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Grab
Parameter Required:	As per Work Order	Preservation:	Refrigerated
Sampling & Analysis Protocol:	APHA 23 rd Edition 2017 & IS:3025		

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.36	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	265.39	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	80.23	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	247.00	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	73.59	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	15.84	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	521.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	56.32	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.69	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	8.47	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.16	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Analysed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/04			Report No.: VEL/W/2311100099			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500-2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.49	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	879	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	23.6	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.1	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

†Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Surfin A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested samples by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/GW/05
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2311100010
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 15/11/2023
Period of Analysis: 10/11/2023 to 15/11/2023
Receipt Date: 10/11/2023
Sampling Date: 04/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Maanwala
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.87	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	226.56	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	61.25	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	137.89	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	65.23	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	17.91	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	536.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	53.69	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.79	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.46	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.21	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not given the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without your written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is, with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising or meet a purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/05			Report No.: VEL/W/2311100010			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.23	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	732	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	36.0	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	3.1	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

® Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test report will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/GW/06
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/231110011
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 15/11/2023
Period of Analysis: 10/11/2023 to 15/11/2023
Receipt Date: 10/11/2023
Sampling Date: 04/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Jiwan Singh Wala
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.64	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	136.98	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	46.21	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	154.28	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	44.69	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	5.26	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	323.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	14.25	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.52	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	5.10	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.26	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the sample received. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopies of test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Arranged Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/06			Report No.: VEL/W/231110011			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.26	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	579	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	16.4	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.8	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising in media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/GW/07
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-
Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/231110012
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 15/11/2023
Period of Analysis: 10/11/2023 to 15/11/2023
Receipt Date: 10/11/2023
Sampling Date: 05/11/2023
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Mahi Nangal
Sample Collected By: Vardan EnviroLab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.37	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	223.47	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	46.89	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	210.36	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	55.47	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	25.87	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	417.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	18.74	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.63	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	6.9	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.26	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the sample submitted. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- This report is with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab, under no circumstances. The lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/07			Report No.: VEL/W/2311100012			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.36	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/l	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	647	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	22.1	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.3	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

*Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through e-mail at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Sample Number:	VEL/N/01	Report No.:	VEL/AP/2311060007
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Near Project Site
Latitude:	30°05'46.90" N
Longitude:	75°01'00.75" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Plant Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S.No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	70.4	60.8	dB(A)
2.	L _{min}	IS 9989	56.3	47.2	dB(A)
3.	L _{eq}	IS 9989	59.41	50.39	dB(A)
4.	CPCB Limits in dB(A) [*] Leq (Industrial Area)	-	75.00	70.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The reports will follow Sulfis A Amendment Report.
- This test report will not be used for publicity or advertising or similar purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/N/02
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/AP/2311060008
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 10/11/2023
Receipt Date: 06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Nasibpura
Latitude:	30°07'94.18" N
Longitude:	75°00'18.46" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S.No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	59.4	48.5	dB(A)
2.	L_{min}	IS 9989	45.7	35.2	dB(A)
3.	L_{eq}	IS 9989	50.67	40.37	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at bd@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The report is with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/03	Report No.:	VEL/AP/2311060009
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Shamir
Latitude:	30°10'20.00" N
Longitude:	75°00'70.00" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S.No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	53.7	46.4	dB(A)
2.	L _{min}	IS 9989	43.1	37.2	dB(A)
3.	L _{eq}	IS 9989	48.26	43.20	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported refer only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The reports, with Suffix A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/N/09
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd, Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/AP/2311060015
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 10/11/2023
Receipt Date: 06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Bhara
Latitude:	30°05'49.86" N
Longitude:	75°04'11.98" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/09
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	58.9	45.7	dB(A)
2.	L_{min}	IS 9989	36.1	33.6	dB(A)
3.	L_{eq}	IS 9989	52.31	38.19	dB(A)
4.	CPCB Limits in dB(A) [*] Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported herein only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity or photograph test report. The test samples will be retained only for specific period.
- The agreement with Sufia A-Annand Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/N/05
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/AP/2311060011
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 10/11/2023
Receipt Date: 06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Fatta
Latitude:	30°06'48.46" N
Longitude:	75°04'40.18" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	51.2	45.7	dB(A)
2.	L _{min}	IS 9989	37.2	35.3	dB(A)
3.	L _{eq}	IS 9989	48.63	41.49	dB(A)
4.	CPCB Limits in dB(A) [*] Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. If later sample is not shown the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The reports are Soft A-Amerised Report.
- This test report will not be used for publicity or advertising or media purpose, without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/10	Report No.:	VEL/AP/2311060016
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpara, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Chathewala
Latitude:	30°03'57.98" N
Longitude:	75°03'55.26" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/10
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	52.8	42.7	dB(A)
2.	L_{min}	IS 9989	35.2	31.9	dB(A)
3.	L_{eq}	IS 9989	49.33	38.74	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)		55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quality opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/11	Report No.:	VEL/AP/2311060017
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Manwala
Latitude:	30°20'45.12" N
Longitude:	75°53'07.00" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	50.8	43.2	dB(A)
2.	L _{min}	IS 9989	33.7	38.7	dB(A)
3.	L _{eq}	IS 9989	46.45	40.59	dB(A)
4.	CPCB Limits in dB(A) [*] Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results recorded relate only to the samples tested. In case sample is not drawn the results apply to the sample as intended.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at bd@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- This report is valid for internal use only.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.



Test Report

Sample Number:	VEL/N/06	Report No.:	VEL/AP/2311060012
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Baghi Bandar
Latitude:	30°02'56.92" N
Longitude:	75°06'43.06" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	52.1	47.5	dB(A)
2.	L _{min}	IS 9989	33.6	35.1	dB(A)
3.	L _{eq}	IS 9989	48.39	42.34	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report to web: Softly A-Amended Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/N/04
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/AP/2311060010
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 10/11/2023
Receipt Date: 06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Jiwan Singh Wala
Latitude:	30°04'18.29" N
Longitude:	75°01'40.48" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	52.1	44.7	dB(A)
2.	L _{min}	IS 9989	35.3	32.6	dB(A)
3.	L _{eq}	IS 9989	45.28	40.54	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- The test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopy of test report. The test samples will be retained only for specification.
- The report no. with Suffix A-Abandon Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/07	Report No.:	VEL/AP/2311060013
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Mahi Nangal
Latitude:	30°02'31.98" N
Longitude:	75°01'62.80" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	54.7	46.1	dB(A)
2.	L_{min}	IS 9989	39.6	36.3	dB(A)
3.	L_{eq}	IS 9989	43.28	42.8	dB(A)
4.	CPCB Limits in dB(A) [*] Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported refer only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- The test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Formatted Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Sample Number:	VEL/N/08	Report No.:	VEL/AP/2311060014
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Leleana
Latitude:	29°59'49.83" N
Longitude:	75°01'15.53" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	56.2	44.3	dB(A)
2.	L _{min}	IS 9989	40.5	38.2	dB(A)
3.	L _{eq}	IS 9989	52.78	41.28	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the sample tested. In case sample is not shown the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be returned only for specific client.
- The report is valid for 30 days from the date of issue.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/12	Report No.:	VEL/AP/2311060018
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	10/11/2023
		Receipt Date:	06/11/2023

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Gehri Bhagi
Latitude:	30°08'21.78" N
Longitude:	75°57'44.11" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 02/11/2023 to 03/11/2023
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	54.9	45.6	dB(A)
2.	L_{min}	IS 9989	40.2	34.1	dB(A)
3.	L_{eq}	IS 9989	51.61	42.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the basic sample by the lab. Under no circumstances, the lab accepts any liability caused by the size or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/01	Report No.:	VEL/AP/2311090007
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°05'46.90" N	Party Reference No.:	NIL
Longitude:	75°01'00.75" E	Reporting Date:	16/11/2023
		Period of Analysis:	09/11/2023 to 10/11/2023
		Receipt Date:	09/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-


Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Near Project Site
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 03/11/2023 to 04/11/2023
Time of Monitoring	: 09:30 AM to 09:50 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human, Vehicular, & Other Plant Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	50.12	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	82.43	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.59	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.59	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.83	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	23.47	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	23.01	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- NAAQS - National Ambient Air Quality Standards, Schedule-VII [Rule 3 (3B)], [Part-IV-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- This report no. with Bifix A-Approved Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/02	Report No.:	VEL/AP/2311090008
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°07'94.18" N	Party Reference No.:	NIL
Longitude:	75°00'18.46" E	Reporting Date:	16/11/2023
		Period of Analysis:	09/11/2023 to 16/11/2023
		Receipt Date:	09/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Nasibpura
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 03/11/2023 to 04/11/2023
Time of Monitoring	: 10:00 AM to 10:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	52.63	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	76.27	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	26.30	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	12.75	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.57	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	23.62	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-¹ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-B-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as mentioned.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of pre-processed test report. The test samples will be retained only for specification.
- This report no. will follow A-Alertness Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quoting options does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/03	Report No.:	VEL/AP/2311090009
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°10'20.00" N	Party Reference No.:	NIL
Longitude:	75°00'70.00" E	Reporting Date:	16/11/2023
		Period of Analysis:	09/11/2023 to 16/11/2023
		Receipt Date:	09/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Shamir
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 03/11/2023 to 04/11/2023
Time of Monitoring	: 10:30 AM to 10:30 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	47.33	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-25)	73.59	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	25.04	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.57	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.79	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	24.15	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppmv(v/v)	--

Note :- (i) NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-B-sec-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure



Terms & Conditions

- The results reported relate only to the sample tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- This report is valid only for the specific period.
- This test report will not be used for publicity or advertising or media purpose without prior written permission in the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test result.





Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Sample Number:	VEL/HPCL/A/00	Report No.:	VEL/AP/2311090015
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabn, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°03'57.98" N	Party Reference No.:	NIL
Longitude:	75°03'55.26" E	Reporting Date:	16/11/2023
		Period of Analysis:	09/11/2023 to 10/11/2023
		Receipt Date:	09/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Chathewala
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL.RDS/FPS.12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 03/11/2023 to 04/11/2023
Time of Monitoring	: 11:00 AM to 11:00 AM
Ambient Temperature (°C)	: Min. 21.0°C, Max. 34.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	42.21	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	73.21	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	25.66	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	13.31	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.59	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	15.10	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-@ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. will Suffice A-Awarded Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.



Test Report

Sample Number: VEL/HPCL/A/11
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd, Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
Latitude: 30°05'49.86" N
Longitude: 75°04'11.98" E

Report No.: VEL/A/P/23111060017
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 16/11/2023
Period of Analysis: 10/11/2023 to 16/11/2023
Receipt Date: 10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Kot Bhara
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/06
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Cloudy Sky
Date of Monitoring : 04/11/2023 to 05/11/2023
Time of Monitoring : 12:00 PM to 12:00 PM
Ambient Temperature (°C) : Min. 26.0°C, Max. 33.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	42.20	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	75.81	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	26.59	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	5.74	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.76	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	20.10	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- (i) NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (JB)], [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/08
 Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
 Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
 Latitude: 30°06'48.46" N
 Longitude: 75°04'40.18" E

Report No.: VEL/AP/2311100014
 Format No.: 7.8 F-03
 Party Reference No.: NIL
 Reporting Date: 16/11/2023
 Period of Analysis: 10/11/2023 to 16/11/2023
 Receipt Date: 10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
 Sampling Location : Kot Fatta
 Instrument Used : RDS & FPS Sampler with all Accessories
 Instrument Code : VEL/RDS-FPS/07
 Instrument Calibration Status : Calibrated
 Meteorological condition during monitoring : Cloudy Sky
 Date of Monitoring : 04/11/2023 to 05/11/2023
 Time of Monitoring : 12:00 PM to 12:00 PM
 Ambient Temperature (°C) : Min. 20.0°C, Max. 33.0°C
 Surrounding Activity : Human & Vehicular, & Other Activities
 Scope of Monitoring : Regulatory Requirement
 Control measure if Any : No
 Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
 Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ^{NS} Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	41.14	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	75.32	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	19.57	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	12.10	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.69	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	25.00	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- (i) NAAQS - National Ambient Air Quality Standards; Schedule-VII [Rule 3 (3B)] [Part-B-sec.3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at bd@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Attended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/04	Report No.:	VEL/AP/2311100010
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd, Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°04'18.29" N	Party Reference No.:	NIL
Longitude:	75°01'40.48" E	Reporting Date:	16/11/2023
		Period of Analysis:	10/11/2023 to 16/11/2023
		Receipt Date:	10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Jiwan Singh Wala
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL.RDS/FPS/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 04/11/2023 to 05/11/2023
Time of Monitoring	: 11:00 AM to 11:00 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 33.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	53.65	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	82.67	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.09	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	10.68	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.77	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	20.13	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-¹ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as marked.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The reporting will be Suffix A-Accredited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/10
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
Latitude: 30°20'45.12" N
Longitude: 75°53'07.00" E

Report No.: VEL/AP/2311100016
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 16/11/2023
Period of Analysis: 10/11/2023 to 16/11/2023
Receipt Date: 10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Manwala
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/7
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Cloudy Sky
Date of Monitoring : 04/11/2023 to 05/11/2023
Time of Monitoring : 11:30 AM to 11:30 AM
Ambient Temperature (°C) : Min. 20.0°C, Max. 33.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ²⁰¹⁹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	56.87	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	87.34	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	24.28	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.36	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.71	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	23.69	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- ① NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of the certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of unsubmitted test report. The test samples will be retained only for specific period.
- The report is with Selfie A-Approved Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/07
 Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
 Latitude: 30°02'56.92" N
 Longitude: 75°06'43.06" E

Report No.: VEL/AP/2311110013
 Format No.: 7.8 F-03
 Party Reference No.: NIL
 Reporting Date: 16/11/2023
 Period of Analysis: 10/11/2023 to 16/11/2023
 Receipt Date: 10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
 Sampling Location : Baghi Bandar
 Instrument Used : RDS & FPS Sampler with all Accessories
 Instrument Code : VEL/RDS/FPS/08
 Instrument Calibration Status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 05/11/2023 to 06/11/2023
 Time of Monitoring : 11:15 AM to 11:15 AM
 Ambient Temperature (°C) : Min. 19.0°C, Max. 33.0°C
 Surrounding Activity : Human & Vehicular, & Other Activities
 Scope of Monitoring : Regulatory Requirement
 Control measure if Any : No
 Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
 Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	40.31	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	76.39	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	23.78	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	12.65	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.79	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	20.47	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-@ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (JB)] [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The report no. will be Suffix A-Arrested Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/05	Report No.:	VEL/AP/2311110011
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	29°59'49.83" N	Party Reference No.:	NIL
Longitude:	75°01'15.53" E	Reporting Date:	16/11/2023
		Period of Analysis:	10/11/2023 to 16/11/2023
		Receipt Date:	10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Leicena
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 05/11/2023 to 06/11/2023
Time of Monitoring	: 10:00 AM to 10:00 AM
Ambient Temperature (°C)	: Min. 19.0°C, Max. 33.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	48.79	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	83.64	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.99	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.58	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.69	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	23.41	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	15.32	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- ¹NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(n)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested; increase sample or not draw the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test sample will be retained only for specific period.
- This report no. with Suffix A-Amended Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/06
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Falwandi
Sabu, Bathinda, Punjab
Latitude: 30°02'31.98" N
Longitude: 75°01'42.80" E

Report No.: VEL/AP/231110012
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 16/11/2023
Period of Analysis: 10/11/2023 to 16/11/2023
Receipt Date: 10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Mahi Nangal
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/12
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 05/11/2023 to 06/11/2023
Time of Monitoring : 10:45 AM to 10:45 AM
Ambient Temperature (°C) : Min. 19.0°C, Max. 33.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	48.74	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	83.66	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.58	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.98	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.61	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	23.51	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-¹ NAAQS - National Ambient Air Quality Standards, Schedule-VII [Rule 3 (3B)], [Part-B-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quoting opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/12
 Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd, Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
 Latitude: 30°08'21.78" N
 Longitude: 75°57'44.11" E

Report No.: VEL/AP/2311110018
 Format No.: 7.8 F-03
 Party Reference No.: NIL
 Reporting Date: 16/11/2023
 Period of Analysis: 10/11/2023 to 16/11/2023
 Receipt Date: 10/11/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
 Sampling Location : Gehri Bhagi
 Instrument Used : RDS & FPS Sampler with all Accessories
 Instrument Code : VEL/RDS/FPS/08
 Instrument Calibration Status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 05/11/2023 to 06/11/2023
 Time of Monitoring : 12:30 PM to 12:30 PM
 Ambient Temperature (°C) : Min. 19.0°C, Max. 33.0°C
 Surrounding Activity : Human & Vehicular, & Other Activities
 Scope of Monitoring : Regulatory Requirement
 Control measure if Any : No
 Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
 Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	43.69	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	61.24	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	24.74	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	5.89	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.71	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	13.25	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-¹ NAAQS - National Ambient Air Quality Standards; Schedule-VII [Rule 3 (3B)], (Part-B-sec.-3(ii))18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Self-Audited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quoting someone does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/01	Report No.:	VEL/AP/2404030019
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Near Project Site
Latitude:	30°05'46.90" N
Longitude:	75°01'00.75" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 09:30 AM to 09:30 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human, Vehicular, & Other Plant Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	70.4	63.4	dB(A)
2.	L _{min}	IS 9989	52.9	45.9	dB(A)
3.	L _{eq}	IS 9989	55.89	47.89	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial Area)	-	75.00	70.00	dB(A)

Note: *A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A- Amended Report.
- This test report will not be used for publicly or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.



Test Report

Sample Number: VEL/N/02
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/AP/2404030020
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 06/04/2024
Receipt Date: 03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Nasibpura
Latitude:	30°07'94.18" N
Longitude:	75°00'18.46" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 09:40 AM to 09:40 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	54.1	48.9	dB(A)
2.	L_{min}	IS 9989	45.1	31.4	dB(A)
3.	L_{eq}	IS 9989	52.45	40.23	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Affiliated Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the loss or misuse of the test report.





Test Report

Sample Number:	VEL/N/03	Report No.:	VEL/AP/2404030021
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Shamir
Latitude:	: 30°10'20.00" N
Longitude:	: 75°00'70.00" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 09:50 AM to 09:50 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	53.9	46.2	dB(A)
2.	L_{min}	IS 9989	41.4	37.8	dB(A)
3.	L_{eq}	IS 9989	50.23	43.96	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: *A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/N/09
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/AP/2404030022
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 06/04/2024
Receipt Date: 03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Bhara
Latitude:	30°08'78.46" N
Longitude:	75°06'75.04" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/09
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2024 to 31/03/2024
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 19.0°C, Max. 39.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	53.9	45.7	dB(A)
2.	L _{min}	IS 9989	35.3	33.2	dB(A)
3.	L _{eq}	IS 9989	51.23	40.28	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported herein only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/05	Report No.:	VEL/AP/2404030023
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Fatta
Latitude:	30°11'58.33" N
Longitude:	75°08'22.28" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 29/03/2024 to 30/03/2024
Time of Monitoring	: 10:30 AM to 10:30 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 39.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	51.8	45.3	dB(A)
2.	L _{min}	IS 9989	34.9	35.6	dB(A)
3.	L _{eq}	IS 9989	46.98	44.10	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- The test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of protocol used test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Awarsted Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/10	Report No.:	VEL/AP/2404030024
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Chathewala
Latitude:	: 30°05'79.31" N
Longitude:	: 75°06'83.31" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/10
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 29/03/2024 to 30/03/2024
Time of Monitoring	: 10:55 AM to 10:55 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 39.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	52.6	43.4	dB(A)
2.	L _{min}	IS 9989	35.9	31.5	dB(A)
3.	L _{eq}	IS 9989	50.23	38.32	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: *A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix Acknowledged Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/11	Report No.:	VEL/AP/2404030025
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Manwala
Latitude:	: 30°20'45.12" N
Longitude:	: 75°53'07.00" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 29/03/2024 to 30/03/2024
Time of Monitoring	: 09:50 AM to 09:50 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 39.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	51.7	43.2	dB(A)
2.	L _{min}	IS 9989	33.4	31.4	dB(A)
3.	L _{eq}	IS 9989	46.98	36.89	dB(A)
4.	CPCB Limits in dB(A) ¹ Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Accredited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Gauging options does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/06	Report No.:	VEL/AP/2404030026
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Baghi Bandar
Latitude:	: 30°05'4.64" N
Longitude:	: 75°01'01.69" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2024 to 31/03/2024
Time of Monitoring	: 10:00 AM to 10:00 AM
Ambient Temperature (°C)	: Min. 19.0 C, Max. 39.0 C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	53.2	46.1	dB(A)
2.	L _{min}	IS 9989	35.9	35.9	dB(A)
3.	L _{eq}	IS 9989	48.12	42.45	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: *A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To verify the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/04	Report No.:	VEL/AP/2404030027
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Jiwan Singh Wala
Latitude:	30°04'18.29" N
Longitude:	75°01'40.48" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 10:15 AM to 10:15 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{min}	IS 9989	51.7	44.9	dB(A)
2.	L_{min}	IS 9989	35.9	32.4	dB(A)
3.	L_{eq}	IS 9989	43.17	35.56	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- The test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- The test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/07	Report No.:	VEL/AP/2404030028
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Mahi Nangal
Latitude:	30°02'38.59" N
Longitude:	75°02'28.02" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 29/03/2024 to 30/03/2024
Time of Monitoring	: 10:30 AM to 10:30 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 39.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L_{max}	IS 9989	52.9	42.7	dB(A)
2.	L_{min}	IS 9989	41.4	35.9	dB(A)
3.	L_{eq}	IS 9989	47.32	37.98	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/08	Report No.:	VEL/AP/2404030029
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Leleana
Latitude:	29°59'49.83" N
Longitude:	75°01'15.53" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2024 to 31/03/2024s
Time of Monitoring	: 06:00 AM to 06:00 AM
Ambient Temperature (°C)	: Min. 19.0°C, Max. 39.0°C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	54.9	45.8	dB(A)
2.	L _{min}	IS 9989	42.1	34.7	dB(A)
3.	L _{eq}	IS 9989	51.78	42.77	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note: * A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To verify the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/N/12	Report No.:	VEL/AP/2404030030
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Gehri Bhagi
Latitude:	: 30°11'02.57" N
Longitude:	: 75°06'42.69" E
Instrument Used	: Sound Level Meter
Instrument Code	: VEL/S/SLM/12
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2023 to 31/03/2023
Time of Monitoring	: 11:30 AM to 11:30 AM
Ambient Temperature (°C)	: Min. 19.0 C, Max. 39.0 C
Surrounding Activity	: Human, Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No any
Sampling & Analysis Protocol	: IS-9989 R-2014 & CPCB Guideline
Sampling Duration	: 24 Hours
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameters	Protocol	Test Result dB (A)		Unit
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1.	L _{max}	IS 9989	52.7	43.7	dB(A)
2.	L _{min}	IS 9989	38.9	33.6	dB(A)
3.	L _{eq}	IS 9989	47.65	39.41	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential Area)	-	55.00	45.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.



Terms & Conditions

- The results reported relate only to the samples tested; in case sample is not drawn the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is only valid if accompanied by the original report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Client's signature does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/01	Report No.:	VEL/AP/2404030019
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Saho, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°05'46.90" N	Party Reference No.:	NIL
Longitude:	75°01'00.75" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan Envirolab Representative
Sampling Location	: Near Project Site
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/05
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 09:30 AM to 09:30 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human, Vehicular, & Other Plant Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	51.38	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	61.22	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	20.78	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	8.41	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.71	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	22.65	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benz(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	21.07	µg/m ³	130
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :-¹ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)](18.11.2009).

²BLQ- Below Limit of Quantification, ³LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCLA/02	Report No.:	VEL/AP/2404030020
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°07'92.63" N	Party Reference No.:	NIL
Longitude:	75°00'18.26" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Nasibpura
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/07
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 10:00 AM to 10:00 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ⁰¹ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	47.98	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	72.10	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	23.45	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	12.10	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.65	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	22.43	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- 01 NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)](18.11.2009)

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Safety Acknowledged Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quoting stations does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/03
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
Latitude: 30°10'20.53" N
Longitude: 75°00'70.68" E

Report No.: VEL/AP/2404030021
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 06/04/2024
Period of Analysis: 03/04/2024 to 06/04/2024
Receipt Date: 03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Kot Shamir
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/06
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 28/03/2024 to 29/03/2024
Time of Monitoring : 10:30 AM to 10:30 AM
Ambient Temperature (°C) : Min. 22.0°C, Max. 38.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	47.65	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	67.32	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.20	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.12	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.71	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	24.23	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	—
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	—

Note :- @ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec. -3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To verify the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in.
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Soft A-Accredited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/09
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
Latitude: 30°05'79.86" N
Longitude: 75°06'8.24" E

Report No.: VEL/AP/2404030022
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 06/04/2024
Period of Analysis: 03/04/2024 to 06/04/2024
Receipt Date: 03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Chathewala
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/07
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Cloudy Sky
Date of Monitoring : 29/03/2024 to 30/03/2024
Time of Monitoring : 11:00 AM to 11:00 AM
Ambient Temperature (°C) : Min. 20.0°C, Max. 39.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	46.15	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	64.01	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.21	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	11.23	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.54	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	18.90	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- (i) NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II sec.-3(i)18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Awarded Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/II	Report No.:	VEL/AP/2403040023
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°08'78.46" N	Party Reference No.:	NIL
Longitude:	75°06'67.54" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Kot Bhara
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2024 to 31/03/2024
Time of Monitoring	: 12:00 PM to 12:00 PM
Ambient Temperature (°C)	: Min. 19.0°C, Max. 39.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	46.32	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	67.99	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	23.21	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	5.23	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.64	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	21.20	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	—
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	—

Note :- @ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(ii)] [18.11.2009].

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of the certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopyied test report. The test samples will be retained only for specific period.
- The report is with Suffix A-Accredited Report.
- The test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/08
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab
Latitude: 30°11'58.14" N
Longitude: 75°08'22.13" E

Report No.: VEL/AP/2404030924
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 06/04/2024
Period of Analysis: 03/04/2024 to 06/04/2024
Receipt Date: 03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Kot Fatta
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/04
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Cloudy Sky
Date of Monitoring : 29/03/2024 to 30/03/2024
Time of Monitoring : 12:00 PM to 12:00 PM
Ambient Temperature (°C) : Min. 20.0°C. Max. 39.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	45.32	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	68.95	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	17.12	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	15.63	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.60	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	23.00	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- (i) NAAQS--National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], Part-II-sec.-3(i)[18.11.2009.

(ii) BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported herein only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Accredited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/04	Report No.:	VEL/AP/2404030025
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Tahwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°06'07.36" N	Party Reference No.:	NIL
Longitude:	75°03'498" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Jivan Singh Wala
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 28/03/2024 to 29/03/2024
Time of Monitoring	: 11:00 AM to 11:00 AM
Ambient Temperature (°C)	: Min. 22.0°C, Max. 38.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	52.65	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	64.32	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	19.32	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	9.12	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.70	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	20.24	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	—
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	—

Note :-® NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test sample will be retained only for specific period.
- This report is with Selfix A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/10	Report No.:	VEL/AP/2404030026
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd, Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°20'45.12" N	Party Reference No.:	NIL
Longitude:	75°53'07.00" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan Envirolab Representative
Sampling Location	: Manwala
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 29/03/2024 to 30/03/2024
Time of Monitoring	: 09:50 AM to 09:50 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 39.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	51.02	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	63.98	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	24.21	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	7.21	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.70	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	21.32	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- @ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Soft A-Arrested Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission from the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/07	Report No.:	VEL/AP/2404030027
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°02'56.92" N	Party Reference No.:	NIL
Longitude:	75°06'43.06" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Baghi Bandar
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/08
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2024 to 31/03/2024
Time of Monitoring	: 10:00 AM to 10:00 AM
Ambient Temperature (°C)	: Min. 19.0°C, Max. 39.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	45.65	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	63.27	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	25.65	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	12.17	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.76	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	0.5
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	0.1
10.	Ozone (as O ₃)	IS 5182 (P-9)	22.78	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note 1:- @ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the samples as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopyied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Ameniad Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Quoting options does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/05	Report No.:	VEL/AP/2404030028
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	29°59'49.83" N	Party Reference No.:	NIL
Longitude:	75°01'15.53" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Leleana
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/05
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 30/03/2024 to 31/03/2024
Time of Monitoring	: 10:55 AM to 10:55 AM
Ambient Temperature (°C)	: Min. 19.0°C, Max. 39.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS [®] Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	51.23	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	70.89	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.45	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	8.11	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.60	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	20.65	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	15.98	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note 1:- NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Self-Acknowledged Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/HPCL/A/06	Report No.:	VEL/AP/2404030029
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
Latitude:	30°02'38.59" N	Party Reference No.:	NIL
Longitude:	75°02'28.02" E	Reporting Date:	06/04/2024
		Period of Analysis:	03/04/2024 to 06/04/2024
		Receipt Date:	03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by	: Vardan EnviroLab Representative
Sampling Location	: Mahi Nangal
Instrument Used	: RDS & FPS Sampler with all Accessories
Instrument Code	: VEL/RDS/FPS/06
Instrument Calibration Status	: Calibrated
Meteorological condition during monitoring	: Cloudy Sky
Date of Monitoring	: 29/03/2024 to 30/03/2024
Time of Monitoring	: 10:15 AM to 10:15 AM
Ambient Temperature (°C)	: Min. 20.0°C, Max. 39.0°C
Surrounding Activity	: Human & Vehicular, & Other Activities
Scope of Monitoring	: Regulatory Requirement
Control measure if Any	: No
Sampling & Analysis Protocol	: IS-5182 & CPCB Guideline
Parameter Required	: As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ²⁰ Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	41.23	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	64.77	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	23.69	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	8.12	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.67	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	22.65	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note 1-(i) NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not shown the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The reports, with Sd/-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/HPCL/A/12
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Saho, Bathinda, Punjab
Latitude: 30°02'57.99" N
Longitude: 75°06'42.58" E

Report No.: VEL/AP/2404030030
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 06/04/2024
Period of Analysis: 03/04/2024 to 06/04/2024
Receipt Date: 03/04/2024

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information:-

Sample Collected by : Vardan EnviroLab Representative
Sampling Location : Gehri Bhagi
Instrument Used : RDS & FPS Sampler with all Accessories
Instrument Code : VEL/RDS/FPS/04
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 30/03/2024 to 31/03/2024
Time of Monitoring : 11:30 PM to 11:30 PM
Ambient Temperature (°C) : Min. 19.0°C, Max. 39.0°C
Surrounding Activity : Human & Vehicular, & Other Activities
Scope of Monitoring : Regulatory Requirement
Control measure if Any : No
Sampling & Analysis Protocol : IS-5182 & CPCB Guideline
Parameter Required : As per Work Order

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS ^{NS} Limit
1.	Particulate Matter (as PM _{2.5})	IS 5182 (P-24)	42.32	µg/m ³	60
2.	Particulate Matter (as PM ₁₀)	IS 5182 (P-23)	65.98	µg/m ³	100
3.	Nitrogen Dioxide (as NO ₂)	IS 5182 (P-6)	21.45	µg/m ³	80
4.	Sulphur Dioxide (as SO ₂)	IS 5182 (P-2)	6.56	µg/m ³	80
5.	Carbon Monoxide (as CO)	IS 5182 (P-10), NDIR Method	0.61	mg/m ³	4
6.	Ammonia (as NH ₃)	VEL/ENV/STP/155, Issue No.-01, 20/06/2022	BLQ(LOQ 20.0)	µg/m ³	400
7.	Lead (as Pb)	IS 5182 (P-22)	BLQ(LOQ 0.1)	µg/m ³	1
8.	Benzene (as C ₆ H ₆)	IS 5182 (P-12)	BLQ(LOQ 0.5)	µg/m ³	05
9.	Benzo(a)pyrene	VEL/ENV/STP/157, Issue No.-01, 01/11/2021	BLQ(LOQ 0.5)	ng/m ³	01
10.	Ozone (as O ₃)	IS 5182 (P-9)	13.12	µg/m ³	180
11.	Arsenic (as As)	VEL/ENV/STP/110, Issue No.-01, 01/11/2021	BLQ(LOQ 0.1)	ng/m ³	6
12.	Nickel (as Ni)	IS 5182 (P-26)	BLQ(LOQ 5.0)	ng/m ³	20
13.	Volatile Organic Carbon (VOCs)	IS 5182 (P-11)	BLQ(LOQ 0.05)	µg/m ³	--
14.	Hydrocarbon (as Methane)	IS 5182 (P-17)	BLQ(LOQ 0.1)	ppm(v/v)	--

Note :- @ NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)]18.11.2009.

*BLQ- Below Limit of Quantification, **LOQ- Limit of Quantification, STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- This report is with Self-Audited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/SW/01
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpara, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/209250003
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 29/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Surface Water Sample
Sample Location: Chathewala
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test Method	Results	Unit
1.	pH (at 25°C)	IS 3025 (P-11)	7.68	--
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazer
3.	Turbidity	IS 3025 (P-10)	12.9	NTU
4.	Odour	IS 3025 (P-5)	Agreeable	--
5.	Taste	IS 3025 (P-8)	NR	--
6.	Chloride (as Cl)	IS 3025 (P-32)	61.23	mg/L
7.	Conductivity	IS 3025 (P-14)	564	µS/cm
8.	Nitrate (as NO ₃)	IS 3025 (P-34)	10.24	mg/L
9.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.32	mg/L
10.	Total Dissolved Solids	IS 3025 (P-16)	345.23	mg/L
11.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.32	mg/L
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	16.78	mg/L
14.	Fluoride (as F)	APHA 4500 F-D	0.62	mg/L
15.	BOD (3 Days at 27°C)	IS 3025 (P-44)	3.36	mg/L
16.	COD	IS 3025 (P-58)	24.61	mg/L
17.	Free Ammonia (as NH ₃)	IS 3025 (P-34)	7.23	mg/L
18.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
19.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	123.00	mg/L
20.	Calcium (as Ca)	IS 3025 (P-40)	42.78	mg/L
21.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	132.14	mg/L
22.	Magnesium (as Mg)	APHA 3500 Mg B Calculation Method	3.95	mg/L
23.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	3.41	mg/L
24.	Sodium (as Na)	IS 3025 (P-45)	42.63	mg/L
25.	Potassium (as K)	IS 3025 (P-45)	4.9	mg/L
26.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27.	Total Coliform	IS 15185:2016	Absent	Per 100ml


Note:- BLQ-Blank Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.



Terms & Conditions

- The results reported relate only to the samples tested. It does not apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with suffix A/R is valid Report.
- The test report will not be used for publicity or advertising or media purpose without prior written permission from the laboratory.
- Given solutions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/SW/02
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040004
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 29/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Surface Water Sample
Sample Location: Kot Fatta
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test Method	Results	Unit
1.	pH (at 25°C)	IS 3025 (P-11)	7.22	-
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen
3.	Turbidity	IS 3025 (P-10)	18.0	NTU
4.	Odour	IS 3025 (P-5)	Agreeable	-
5.	Taste	IS 3025 (P-8)	NR	-
6.	Chloride (as Cl)	IS 3025 (P-32)	41.12	mg/L
7.	Conductivity	IS 3025 (P-14)	839	µS/cm
8.	Nitrate (as NO ₃)	IS 3025 (P-34)	4.45	mg/L
9.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.40	mg/L
10.	Total Dissolved Solids	IS 3025 (P-16)	415.00	mg/L
11.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
12.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.78	mg/L
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	25.63	mg/L
14.	Fluoride (as F)	APHA 4500 F D	0.31	mg/L
15.	BOD (3 Days at 27°C)	IS 3025 (P-44)	3.23	mg/L
16.	COD	IS 3025 (P-58)	11.45	mg/L
17.	Free Ammonia (as NH ₃)	IS 3025 (P-34)	6.23	mg/L
18.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
19.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	136.77	mg/L
20.	Calcium (as Ca)	IS 3025 (P-40)	55.61	mg/L
21.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	145.60	mg/L
22.	Magnesium (as Mg)	APHA 3500 Mg B Calculation Method	1.67	mg/L
23.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	2.69	mg/L
24.	Sodium (as Na)	IS 3025 (P-45)	42.30	mg/L
25.	Potassium (as K)	IS 3025 (P-45)	2.6	mg/L
26.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L
27.	Total Coliform	IS 15185:2016	Absent	Per 100ml

Note: BLQ-Below Limit of Quantification, *LOQ-Limit of Quantification, **NR- Not Reported.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Sd/As Approved Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Going to lab does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/01	Report No.:	VEL/PE/2404030013
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
		Receipt Date:	03/04/2024
Sample Description:	Soil Sample	Sampling Date:	28/03/2023
Sample Location:	Near Project Site	Sampling Type:	Composite
Sample Collected By:	Vardan Envirolab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	8.78	-
2.	Conductivity	IS 14767	0.323	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	34.89	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	2.45	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	32.56	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	24.85	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	34.77	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	121.68	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	7.23	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.70	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	15.23	%
14.	Available Nitrogen (as N)	IS:14684	135.89	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	16.45	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	23.10	%
17.	Organic Carbon	IS 2720 (P-22)	0.56	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.59	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.70	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	11.47	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.41	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	17.98	%

Note: STP- Standard Testing Procedure

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not given the results apply to the sample as received.
- The test reports full or in part, should be forwarded to the client of lab without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of pre-processed test report. The test samples will be retained only for specific period.
- The report no. with Sd/o Authorized Report.
- The test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Quoting opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.






Test Report

Sample Number:	VEL/S0/02	Report No.:	VEL/PE/2404030014
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
		Receipt Date:	03/04/2024
Sample Description:	Soil Sample	Sampling Date:	28/03/2024
Sample Location:	Nasibpura	Sampling Type:	Composite
Sample Collected By:	Vardan Envirolab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.78	--
2.	Conductivity	IS 14767	0.368	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	45.98	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.45	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	35.77	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	46.98	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	51.23	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	127.95	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.45	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.89	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	3.45	%
14.	Available Nitrogen (as N)	IS:14684	275.63	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	24.12	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	26.58	%
17.	Organic Carbon	IS 2720 (P-22)	0.49	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.50	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.77	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.56	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.54	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.43	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	14.78	%

Note: STP- Standard Testing Procedure.



Terms & Conditions

- The results reported herein only to the parties listed. In case sample is not drawn the results apply to the sample as received.
- This test report is for your use only and shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of the test results, please contact us through email at info@vardan.co.in
- Laboratory is not responsible for the authenticity or pre-occupied test report. The test samples will be retained only for specific period.
- The report no. with Buffer is provided Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Client's signature does not imply endorsement of the test sample by the lab. Under no circumstance, the lab accepts any liability caused by the use or misuse of the test report.





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001




Test Report

Sample Number:	VEL/S0/03	Report No.:	VEL/PE/2404030015
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
		Receipt Date:	03/04/2024
Sample Description:	Soil Sample	Sampling Date:	20/09/2024
Sample Location:	Kot Shamir	Sampling Type:	Composite
Sample Collected By:	Vardan Envirolab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.46	--
2.	Conductivity	IS 14767	0.325	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	20.78	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.56	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	41.20	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	34.78	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	43.23	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	124.56	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.12	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.59	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	10.26	%
14.	Available Nitrogen (as N)	IS 14684	241.38	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	24.21	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	17.56	%
17.	Organic Carbon	IS 2720 (P-22)	0.21	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.75	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.51	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.70	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	9.00	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.41	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLD (LOQ 1.0)	mg/kg
24.	Manganese (as Mn)	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	16.73	%

Note: STP- Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of the certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The report no. with suffix AA amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the user or misuse of the test report.





Test Report

Sample Number:	VEL/S0/04	Report No.:	VEL/PE/2404030016
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Suhb, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
Sample Description;	Soil Sample	Receipt Date:	03/04/2024
Sample Location:	Kot Bhara	Sampling Date:	30/03/2024
Sample Collected By:	Vardan Envirolab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.23	--
2.	Conductivity	IS 14767	0.321	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	32.45	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	2.23	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	32.74	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	51.20	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	66.56	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	121.67	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.23	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.54	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	24.57	%
14.	Available Nitrogen (as N)	IS:14684	224.10	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	12.39	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	9.45	%
17.	Organic Carbon	IS 2720 (P-22)	0.40	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.64	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.40	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.23	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.35	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Mercury Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	34.78	µg

Note: STP- Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report, full or in part, shall not be reproduced in any part of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopy test report. The test sample will be retained only for specific period.
- The report no. with Bill of Material Record.
- This test report will not be used for publicity or advertising or similar purpose without prior written permission of the laboratory.
- Client's signature does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/05	Report No.:	VEL/PE/2404030017
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
Sample Description:	Soil Sample	Receipt Date:	03/04/2024
Sample Location:	Chathewala	Sampling Date:	29/03/2024
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.23	--
2.	Conductivity	IS 14767	0.357	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	14.23	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.28	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	33.10	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	32.98	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	45.65	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	64.71	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.23	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.65	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	14.56	%
14.	Available Nitrogen (as N)	IS:14684	174.64	kg/hect.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	16.32	kg/hect.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	14.08	%
17.	Organic Carbon	IS 2720 (P-22)	0.45	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.52	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.71	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	9.27	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.65	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	23.98	%

Note: STP - Standard Testing Procedure.

Terms & Conditions

- The results reported are only for the samples listed. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A/A-extended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.



Test Report

Sample Number:	VEL/S0/06	Report No.:	VEL/PE/2404030018
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
		Receipt Date:	03/04/2024
Sample Description:	Soil Sample	Sampling Date:	29/03/2024
Sample Location:	Kot Fatta	Sampling Type:	Composite
Sample Collected By:	Vardan Envirolab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S.No.	Parameter	Test Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.56	-
2.	Conductivity	IS 14767	0.374	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	28.56	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.36	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	40.12	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	42.88	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	33.65	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	114.74	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.49	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.53	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	21.55	%
14.	Available Nitrogen (as N)	IS:14684	187.92	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	7.23	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	6.45	%
17.	Organic Carbon	IS 2720 (P-22)	0.49	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.61	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.45	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.99	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.32	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 0.5)	mg/kg
24.	Manganese (as Mn)	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	15.65	%

Note: STP - Standard Testing Procedure.

Reviewed By:
(Signature)
08/04/2024

Authorized Signatory:
(Signature)
08/04/2024

Terms & Conditions

- The results reported herein apply to the samples tested. In case sample is not drawn the results apply to the samples received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopies of test report. The test samples will be retained only for specific period.
- The report not with Baffle Affiliated Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving solution does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the user's misuse of the test report.





Test Report

Sample Number:	VEL/S0/07	Report No.:	VEL/PE/2404030019
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Subo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
		Receipt Date:	03/04/2024
Sample Description:	Soil Sample	Sampling Date:	30/03/2024
Sample Location:	Baghi Bandar	Sampling Type:	Composite
Sample Collected By:	Vardan Envirolab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.52	--
2.	Conductivity	IS 14767	0.387	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Brownish	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	22.63	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.41	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	55.69	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	41.20	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	74.78	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	125.69	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.64	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.68	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	33.69	%
14.	Available Nitrogen (as N)	IS:14684	224.56	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	32.65	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	24.89	%
17.	Organic Carbon	IS 2720 (P-22)	0.46	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.34	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.88	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.47	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.45	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.41	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.-01, 01/11/2021	24.23	%

Note- STP- Standard Method Procedure.



Terms & Conditions

- The results reported above are valid only for the sample tested. In case sample is not stored the results apply to the sample as received.
- This test report is for information only and should not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specification.
- The report is with Self-Affirmed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the user or misuse of the test report.





Test Report

Sample Number:	VEL /S0/08	Report No.:	VEL/PE/2404030020
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
Sample Description:	Soil Sample	Receipt Date:	03/04/2024
Sample Location:	Manwala	Sampling Date:	29/03/2024
Sample Collected By:	Vardan EnviroLab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.10	--
2.	Conductivity	IS 14767	0.356	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	30.12	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.36	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	34.87	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	44.22	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	31.23	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	147.23	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.10	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.74	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No. 01, 01/11/2021	22.96	%
14.	Available Nitrogen (as N)	IS-14684	234.51	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	14.75	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	10.36	%
17.	Organic Carbon	IS 2720 (P-22)	0.45	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.56	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.81	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.52	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.74	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.52	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Manganese (as Mn)	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	19.63	%

Note: STP - Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the sample tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email of lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Safe Acknowledged Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/09	Report No.:	VEL/PE/2404030021
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
Sample Description:	Soil Sample	Receipt Date:	03/04/2024
Sample Location:	Jiwan Singh Wala	Sampling Date:	28/03/2024
Sample Collected By:	Vardan Envirolab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.56	—
2.	Conductivity	IS 14767	0.321	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	—
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	—
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	24.56	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.78	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	42.15	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	24.96	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	45.89	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	125.36	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	3.78	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.69	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	16.23	%
14.	Available Nitrogen (as N)	IS:14684	215.65	kg/hect.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	9.23	kg/hect.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	14.78	%
17.	Organic Carbon	IS 2720 (P-22)	0.36	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.68	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.59	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.34	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.89	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.67	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Manganese Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	19.80	%

Note- STP- Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. It does not apply to the results of other samples or analyses.
- The test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Staffs A-Approved Report.
- The test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Client's attention does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/S0/10	Report No.:	VEL/PE/2404030021
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
		Receipt Date:	03/04/2024
Sample Description:	Soil Sample	Sampling Date:	30/03/2024
Sample Location:	Gehri Bhagi	Sampling Type:	Composite
Sample Collected By:	Vardan Envirolab Representative	Sample Quantity:	2.0 Kg
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Packing Status:	Temp Sealed

TEST RESULTS

S.No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.78	-
2.	Conductivity	IS 14767	0.369	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty Loam	-
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Red	-
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	31.22	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.41	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	44.10	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	30.65	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	50.33	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	129.56	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.89	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.80	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	24.77	%
14.	Available Nitrogen (as N)	IS:14684	221.30	kg/hect.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	17.89	kg/hect.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	19.63	%
17.	Organic Carbon	IS 2720 (P-22)	0.47	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.60	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.79	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.51	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.56	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.22	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLO (LOQ 1.0)	mg/kg
24.	Moisture Content	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	17.08	%

Note: STP - Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- This report is valid only for the purpose of the test.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number:	VEL/ S011	Report No.:	VEL/PE/2404030023
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
Sample Description:	Soil Sample	Receipt Date:	03/04/2024
Sample Location:	Mahi Nangal	Sampling Date:	29/03/2024
Sample Collected By:	Vardan Envirolab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.56	--
2.	Conductivity	IS 14767	0.387	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	--
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	--
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	21.23	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.56	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	37.98	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	33.69	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	66.88	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	121.56	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.45	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.69	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	22.10	%
14.	Available Nitrogen (as N)	IS:14684	225.66	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	14.23	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	8.78	%
17.	Organic Carbon	IS 2720 (P-22)	0.46	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.51	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.45	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	2.23	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	4.14	mg/kg
22.	Molybdenum (as MO)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.79	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Manganese (as Mn)	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	21.78	%

Note: Standard Testing Procedure.



Terms & Conditions

- The results reported herein apply to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specified period.
- The report no. with Sella A-Arrested Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the user misuse of the test report.





Test Report

Sample Number:	VEL/S0/12	Report No.:	VEL/PE/2404030024
Name & Address of the Project:	M/s Hindustan Petroleum Corporation Ltd. Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabu, Bathinda, Punjab	Format No.:	7.8 F-03
		Party Reference No.:	NIL
		Reporting Date:	08/04/2024
		Period of Analysis:	03/04/2024 to 08/04/2024
Sample Description:	Soil Sample	Receipt Date:	03/04/2024
Sample Location:	Lafana	Sampling Date:	29/03/2024
Sample Collected By:	Vardan Envirolab Representative	Sampling Type:	Composite
Sampling & Analysis Protocol:	IS 2720, USEPA 3050B & USDA	Sample Quantity:	2.0 Kg
		Packing Status:	Temp Sealed

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS 2720 (P-26)	7.45	—
2.	Conductivity	IS 14767	0.365	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No.- 01, 01/11/2021	Silty	—
4.	Color	VEL/STP/EN/67, Issue No.- 01, 01/11/2021	Yellowish Brown	—
5.	Water holding capacity	VEL/STP/EN/86, Issue No.- 01, 01/11/2021	34.56	%
6.	Bulk density	VEL/STP/EN/59, Issue No.- 01, 01/11/2021	1.52	gm/cc
7.	Chloride (as Cl)	VEL/STP/EN/69, Issue No.- 01, 01/11/2021	66.47	%
8.	Calcium (as Ca)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	42.12	%
9.	Sodium (as Na)	VEL/STP/EN/62, Issue No.- 01, 01/11/2021	32.36	%
10.	Potassium (as K)	VEL/STP/EN/61, Issue No.- 01, 01/11/2021	154.28	%
11.	Iron as (Fe)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.47	mg/kg
12.	Organic Matter	IS 2720 (P-22)	0.54	%
13.	Magnesium (as Mg)	VEL/STP/EN/72, Issue No.- 01, 01/11/2021	32.65	%
14.	Available Nitrogen (as N)	IS 14684	254.14	kg./hec.
15.	Available Phosphorus	VEL/STP/EN/73, Issue No.- 01, 01/11/2021	18.98	kg./hec.
16.	Zinc (as Zn)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	20.26	%
17.	Organic Carbon	IS 2720 (P-22)	0.37	%
18.	Lead (as Pb)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.98	mg/kg
19.	Cadmium (as Cd)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.69	mg/kg
20.	Chromium (as Cr)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.62	mg/kg
21.	Copper (as Cu)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	1.23	mg/kg
22.	Molybdenum (as Mo)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	0.46	mg/kg
23.	Nickel (as Ni)	VEL/STP/HW/03, Issue No.- 01, 01/10/2021	BLQ (LOQ 1.0)	mg/kg
24.	Manganese (as Mn)	VEL/STP/EN/108, Issue No.- 01, 01/11/2021	20.32	%

Note: STP-Standard Testing Procedure.



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test sample will be retained only for specified period.
- The report is with Softly Acknowledged Report.
- This test report will not be used for publicity or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances the lab accepts any liability caused by the use or misuse of the test report.





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001



Test Report

pSample Number:
Name & Address of the Project:

VEL/GW/01
M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-
Tulwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040017
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 28/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Near Project Site
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.48	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	216.98	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	62.35	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	229.87	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	55.64	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	14.92	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	512.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	16.98	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.44	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.56	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.13	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not given the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is valid only for the specific report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Quoting opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/01			Report No.: VEL/W/2403040017			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.29	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	856	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	22.3	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.7	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	--	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

¹Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Bafix A-Approved Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Going options does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/GW/02
Name & Address of the Project: M/s Hindastan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040018
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 28/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Nasibpura
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.56	—	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	—	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	—	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	223.89	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	58.78	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	202.35	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	42.63	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	18.76	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	452.46	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	30.12	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.61	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.42	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.13	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is valid with Buffer-Accredited Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission from the laboratory.
- Quoting opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/02			Report No.: VEL/W/2403040011			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0064)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.29	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	723	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	29.87	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.1	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml	any 100 ml sample	--

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

¹Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be returned only for specific point.
- The report no. with Suffix (Amended) Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number: VEL/GW/03
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpara, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040019
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 28/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Kot Shamir
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.56	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	224.65	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	60.23	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	226.65	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	84.78	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	18.07	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	521.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	32.45	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.48	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	4.23	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.19	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Selfix Accredited Report.
- This test report will not be used for publicity or advertising or media purposes without prior written permission of the laboratory.
- Going online does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/03				Report No.: VEL/W/240304001		
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.40	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	853	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	36.21	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.9	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

**Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Quoting opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use of misuse of the test report.





Test Report

Sample Number: VEL/GW/04
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpara, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040020
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 30/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Baghi Bandar
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.62	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	254.98	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	79.65	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	241.00	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	75.26	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	13.66	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	523.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	54.56	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.98	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	8.12	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.16	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported shall only be for the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for sports period.
- The report is not valid for legal or forensic purposes.
- The test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/04			Report No.: VEL/W/2403010021			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.49	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	845	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	23.6	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.7	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	--	

*BLQ-Below Limit of Quantification. **LOQ- Limit of Quantification.

*Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boreon & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Delta A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001



Test Report


Sample Number: VEL/GW/05
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040021
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 29/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Maanwala
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.56	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	228.96	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	62.36	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	145.12	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	65.60	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	17.82	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	565.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	51.23	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.70	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	3.74	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.29	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not given the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is valid only for the intended use.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Client's opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001




Test Report

Sample No.: VEL/GW/05			Report No.: VEL/W/240304002			
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.29	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	723	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	32.0	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	2.5	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	--
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

¹Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report is full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with full In-Associated Report.
- This test report will not be used for publicly or advertising or media purpose without prior written permission on the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001



Test Report

Sample Number: VEL/GW/06
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-
Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040022
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 28/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Jiwan Singh Wala
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.39	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	146.23	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	41.20	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	157.23	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	40.15	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	10.55	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	354.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	14.12	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.44	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	5.52	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.25	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not down the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with 50% A-Amount Report.
- The test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Client's opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

Page 2 of 2





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001



Test Report

Sample No.: VEL/GW/06				Report No.: VEL/W/240304002		
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	019	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/L	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	502	µS/cm	-	-
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	10.5	mg/L	-	-
34.	Potassium	IS 3025 (P-45)	1.9	mg/L	-	-
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	-
36.	E. coli	IS 15185:2016	Absent	Per 100ml		

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

†Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021. (Limit of Mineral Oil).



Terms & Conditions

- The results reported relate only to the samples tested; in case sample is not drawn the results apply to the sample as soaked.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with suffix A-Reserved Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission of the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

Page 1 of 2





Vardan Envirolab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Hr)
CPCB Recognized | ISO 9001 | ISO 14001 | ISO 45001



Test Report

Sample Number: VEL/GW/07
Name & Address of the Project: M/s Hindustan Petroleum Corporation Ltd.
Bio Refinery, Village-Nasibpura, Tehsil-Talwandi Sabo, Bathinda, Punjab

Report No.: VEL/W/2403040023
Format No.: 7.8 F-03
Party Reference No.: NIL
Reporting Date: 08/04/2024
Period of Analysis: 03/04/2024 to 08/04/2024
Receipt Date: 03/04/2024
Sampling Date: 29/03/2024
Sample Quantity: 2.0 Ltr. + 250 ml
Sampling Type: Grab
Preservation: Refrigerated

Sample Description: Ground Water Sample
Sample Location: Mahi Nangal
Sample Collected By: Vardan Envirolab Representative
Parameter Required: As per Work Order
Sampling & Analysis Protocol: APHA 23rd Edition 2017 & IS:3025

TEST RESULTS

S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25°C)	IS 3025 (P-11)	7.78	--	6.5 to 8.5	No Relaxation
2.	Colour	IS 3025 (P-4)	BLQ(LOQ 1.0)	Hazen	5	15
3.	Turbidity	IS 3025 (P-10)	BLQ(LOQ 1.0)	NTU	1	5
4.	Odour	IS 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
5.	Taste	IS 3025 (P-8)	Agreeable	--	Agreeable	Agreeable
6.	Total Hardness (as CaCO ₃)	IS 3025 (P-21)	231.52	mg/L	200	600
7.	Calcium (as Ca)	IS 3025 (P-40)	42.10	mg/L	75	200
8.	Alkalinity (as CaCO ₃)	IS 3025 (P-23)	187.66	mg/L	200	600
9.	Chloride (as Cl)	IS 3025 (P-32)	54.62	mg/L	250	1000
10.	Cyanide (as CN)	IS 3025 (P-27)	BLQ(LOQ 0.02)	mg/L	0.05	No Relaxation
11.	Magnesium (as Mg)	APHA 3500 Mg B	30.73	mg/L	30	100
12.	Total Dissolved Solids	IS 3025 (P-16)	414.00	mg/L	500	2000
13.	Sulphate (as SO ₄)	IS 3025 (P-24)	15.99	mg/L	200	400
14.	Fluoride (as F)	APHA 4500 F D	0.54	mg/L	1.0	1.5
15.	Nitrate (as NO ₃)	IS 3025 (Part -34)	6.9	mg/L	45	No Relaxation
16.	Iron (as Fe)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.27	mg/L	1.0	No Relaxation
17.	Aluminium (as Al)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.5	2.4
19.	Total Chromium (as Cr)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	No Relaxation



Terms & Conditions

- The results reported relate only to the test(s) listed. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with suffix A-Amended Report.
- This test report will not be used for public or advertising or media purpose without prior written permission from the laboratory.
- Giving opinion does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample No.: VEL/GW/07					Report No.: VEL/W/240304002	
S. No.	Parameter	Test-Method	Result	Unit	Limits of IS:10500 -2012	
					Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS 3025 (P-43)	BLQ(LOQ 0.0004)	mg/L	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39) Clause 6	BLQ(LOQ 0.05)	mg/L	1.0	No Relaxation
22.	Anionic Detergents (as MBAS)	IS 3025 (P-68)	BLQ(LOQ 0.05)	mg/L	0.2	1.0
23.	Zinc (as Zn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	0.56	mg/L	5.0	15.0
24.	Copper (as Cu)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.05	1.5
25.	Manganese (as Mn)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.01)	mg/L	0.1	0.3
26.	Cadmium (as Cd)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.003	No Relaxation
27.	Lead (as Pb)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
28.	Selenium (as Se)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.001)	mg/L	0.01	No Relaxation
29.	Arsenic (as As)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.002)	mg/L	0.01	No Relaxation
30.	Mercury (as Hg)	VEL/STP/ICP/W-01, Issue No.-01, 01/11/21	BLQ(LOQ 0.0005)	mg/l	0.001	No Relaxation
31.	Conductivity	IS 3025 (P-14)	612	µS/cm	--	--
32.	Ammonia (as NH ₃)	IS 3025 (P-34)	BLQ(LOQ 0.1)	mg/L	0.5	No Relaxation
33.	Sodium	IS 3025 (P-45)	22.7	mg/L	--	--
34.	Potassium	IS 3025 (P-45)	1.9	mg/L	--	--
35.	Total Coliform	IS 15185:2016	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	
36.	E. coli	IS 15185:2016	Absent	Per 100ml	--	

*BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

©Amendment No.1 in June 2015 (Limits of Iron & Arsenic) and Amendment No.2 in Sept. 2018 (Limit of Boron & IS method of Total Coliform & E.coli) & Amendment No.3 in Feb. 2021 (Limit of Mineral Oil).



Terms & Conditions

- This results reported relate only to the samples tested. In case sample is not closed the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any form without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report is with Sulfis A-Amenetic Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

